

SAFETY DATA SHEET

Predator

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1. Identification, Dr.	dust identifier and shamical identity	
SECTION 1: Identification: Pro	duct identifier and chemical identity	
Product identifier		
Product name	Predator	
Relevant identified uses of the substance or mixture and uses advised against		
Application	Car maintenance product Degreaser	
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.	
Details of the supplier of the safety data sheet		
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au	
Contact Person	Mr. Russell Butler	
Emergency telephone number		
Emergency telephone	NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003- NCEC" Local number +61 2 8 014 4558 General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)	
National emergency telephone number	Poison Information Hotline: 13 11 26	

SECTION 2: Hazard(s) identification

Classification of the substance or mixture		
Physical hazards	Met. Corr. 1 - H290	
Health hazards	Skin Corr. 1C - H314 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
Label elements		

1<1.25%

Predator

Hazard pictograms



Signal word	DANGER
Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container in accordance with national regulations. P280 Wear protective clothing, gloves, eye and face protection.
Supplemental label information	For professional users only.
Contains	Trisodium Nitrilotriacetate

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

Trisodium Nitrilotriacetate	3<5%
CAS number: 5064-31-3	
Classification	
Acute Tox. 4 - H302	
Eye Irrit. 2A - H319	

Alcohols, C12-14, ethoxylated

CAS number: 68439-50-9

Classification

Carc. 2 - H351

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

sodium hydroxide

CAS number: 1310-73-2

Substance with a Community workplace exposure limit.

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

POTASSIUM HYDROXIDE

CAS number: 1310-58-3

Classification

Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.	
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.	
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin Contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.	
Most important symptoms and effects, both acute and delayed		
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	

0.5<0.7%

0.5<0.7%

Ingestion	Corrosive. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	Corrosive.
Eye contact	Corrosive to skin and eyes.
Indication of any immediate m	edical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
Hazchem Code	2R
SECTION 6: Accidental release	se measures
Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for cont	ainment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. Following dilution and poutralization discharge to the cover with plenty of water may be permitted. The
	neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	prage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Store in corrosive resistant container with a resistant inner liner. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Acid-reactive storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
SECTION 8: Exposure contro	Is and personal protection
Control parameters Occupational exposure limits sodium hydroxide Ceiling value: 2 mg/m ³ POTASSIUM HYDROXIDE	

Long-term exposure limit (8-hour TWA): NOHSC Short-term exposure limit (15-minute): NOHSC 2 mg/m³ NOHSC = The National Occupational Health and Safety Commission.

		Trisodium Nitrilotriacetate (CAS: 5064-31-3)	
I	ngredient comm	No exposure limits known for ingredient(s).	
		Alcohols, C12-14, ethoxylated (CAS: 68439-50-9)	
I	Ingredient comm	No exposure limits known for ingredient(s).	
		Alcohols C9-11, ethoxylated (CAS: 68439-46-3)	
I	ngredient comm	No exposure limits known for ingredient(s).	
<u>c</u>	Quaternary ammonium compounds, coco alkylbis(hydroxyethyl)methyl, ethoxylated, chlorides (CAS: 61791-10-4)		
I	Ingredient comm	No exposure limits known for ingredient(s).	
Exposure con Protective equ			
Appropriate en controls	ngineering	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.	
Eye/face prote	ection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.	
Hand protection	on	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.	
Other skin and protection	d body	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.	

Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Light (or pale). Straw.	
Odour	Pine.	
Odour threshold	Not available.	
рН	pH (concentrated solution): ~ 13.2 pH (diluted solution): ~ 11.0 @ 1%	
Melting point	~ 0°C	
Initial boiling point and range	~ 100 @°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability Limit - Lower(%)	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	~ 1.094 @ (20°C)°C	
Solubility(ies)	Soluble in water. Miscible with water.	
Partition coefficient	Not available.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not available.	
Viscosity	~ 1 cSt @ °C	
Oxidising properties	Not applicable.	
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.	
Volatile organic compound	This product contains a maximum VOC content of 0 g/litre.	

SECTION 10: Stability and reactivity

Reactivity	May be corrosive to metals.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	Acid anhydrides. Acids. Phenols, cresols. Mild steel. Stainless steel. Aluminium. May be corrosive to metals.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

Information on toxicological effects		
Acute toxicity - oral		
Notes (oral LD₅o)	Based on available data the classification criteria are not met.	
ATE oral (mg/kg)	13,020.83	
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Extreme pH	≥ 11.5 Corrosive.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		

STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	Corrosive. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.	
Skin Contact	Corrosive.	
Eye contact	Corrosive to skin and eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target Organs	No specific target organs known.	

Toxicological information on ingredients.

Trisodium Nitrilotriacetate

Toxicological effects	Nitrilotriacetic acid, trisodium salt (NTA) has caused kidney tumours in rats and mice when administered orally in high concentrations. The tumours are based on organ damage that can only occur when extremely high threshold limit concentrations, as compared with possible human exposure, are exceeded. In view of the potential degree of exposure, there should be no cancer risk to humans.		
Acute toxicity - oral			
ATE oral (mg/kg)	500.0		
Carcinogenicity			
Carcinogenicity	Limited evidence of a carcinogenic effect.		
	Alcohols, C12-14, ethoxylated		
Acute toxicity - oral			
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - dermal			
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation			
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.		
Skin corrosion/irritation			
Animal data	Irritating.		
Serious eye damage/irritat	Serious eye damage/irritation		
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.		
Respiratory sensitisation			

Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause irritation.
Skin Contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
	sodium hydroxide
Other health effects	There is no evidence that the product can cause cancer.
Specific target organ toxicit	y - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.

	Route of exposure	Skin absorption Ingestion Skin and/or eye contact
	Target Organs	No specific target organs known.
		POTASSIUM HYDROXIDE
	Other health effects	There is no evidence that the product can cause cancer.
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	273.0
	Species	Rat
	Skin sensitisation	
	Skin sensitisation	Guinea pig maximization test (GPMT) - : Not sensitising.
	Specific target organ tox	icity - single exposure
	STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
	Specific target organ tox	icity - repeated exposure
	STOT - repeated exposu	ure Not classified as a specific target organ toxicant after repeated exposure.
SECTION 1	2: Ecological information	
Ecotoxicity Ecological in	The p organ nformation on ingredients.	
		Alcohols, C12-14, ethoxylated
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		sodium hydroxide
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
		POTASSIUM HYDROXIDE
	Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
Toxicity	Based	d on available data the classification criteria are not met.
Ecological in	nformation on ingredients.	
		Trisodium Nitrilotriacetate
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 114-470 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 560-1,000 mg/l, Daphnia magna

	Acute toxicity - ac plants	quatic	IC₅₀, 72 hours: 180-320 mg/l, Algae
			Alcohols, C12-14, ethoxylated
	Toxicity		Based on available data the classification criteria are not met.
			sodium hydroxide
	Acute aquatic tox	<i>ticity</i>	
	Acute toxicity - fis	sh	LC50, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC₅₀, 96 hours: 125 mg/l, Fish
	Acute toxicity - ac invertebrates	quatic	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna EC₅₀, 48 hours: 40-240 mg/l, Daphnia magna
	Acute toxicity - ac plants	quatic	Not known.
			POTASSIUM HYDROXIDE
	Acute aquatic tox	<i>ticity</i>	
	Acute toxicity - fis	sh	LC50, 96 hours: 80 mg/l, Freshwater fish
Persistence	and degradability		
Ecological i	nformation on ingre	edients.	
			Trisodium Nitrilotriacetate
	Persistence and degradability		The product is biodegradable.
			Alcohols, C12-14, ethoxylated
	Persistence and degradability		The product is readily biodegradable.
			sodium hydroxide
	Persistence and degradability		The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.
	Stability (hydrolys	sis)	Not applicable.
	Biological oxyger	n demand	∼ 0 g O₂/g substance
			POTASSIUM HYDROXIDE
	Persistence and degradability		The product contains inorganic substances which are not biodegradable. The product is potentially degradable.
Bioaccumu	ative potential		
Bioaccumul	ative Potential	No data a	available on bioaccumulation.
Partition co	efficient	Not avail	able.
Ecological information on ingredients.			

Trisodium Nitrilotriacetate

Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating. Alcohols, C12-14, ethoxylated **Bioaccumulative Potential** No data available on bioaccumulation. Partition coefficient Not available. sodium hydroxide **Bioaccumulative Potential** The product is not bioaccumulating. POTASSIUM HYDROXIDE Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating. Mobility in soil Mobility The product is water-soluble and may spread in water systems. The product is non-volatile. Ecological information on ingredients. Trisodium Nitrilotriacetate Mobility The product is soluble in water. Alcohols, C12-14, ethoxylated Mobility The product is water-soluble and may spread in water systems. The product is nonvolatile. sodium hydroxide Mobility The product is soluble in water. Henry's law constant The product contains mainly inorganic substances which are not biodegradable. POTASSIUM HYDROXIDE Mobility The product is soluble in water. Other adverse effects Other adverse effects None known. Ecological information on ingredients. Alcohols, C12-14, ethoxylated Other adverse effects None known. SECTION 13: Disposal considerations

Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport inform	nation
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
UN number	
UN No. (ADG)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824
UN proper shipping name	
Proper shipping name (ADG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	
ADG class	8
ADG label	8
IMDG class	8
ICAO class/division	8
Transport labels	
8	
Packing group	
ADG packing group	III
IMDG packing group	III
ICAO packing group	III
Environmental hazards	

Environmentally hazardous substance/marine pollutant No.

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
Hazchem Code	2R
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory info	rmation
Safety, health and environmer	ntal regulations/legislation specific for the substance or mixture
Schedule (SUSMP)	Schedule 5. Caution.
Inventories Australia - AIIC All the ingredients are listed o	·
SECTION 16: Any other releva	ant information
Abbreviations and acronyms used in the safety data sheet	ADG: Australian dangerous goods code
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Met. Corr. = Corrosive to metals Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	15/10/2020
Revision	2
Supersedes date	20/06/2018

SDS No.	21584
SDS status	Approved.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.