

SAFETY DATA SHEET

(WashTec) - Eco Foam

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1: Identification: P	roduct identifier and chemical identity
Product identifier	
Product name	(WashTec) - Eco Foam
Relevant identified uses of th	e substance or mixture and uses advised against
Application	Car maintenance product Auto shampoo.
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.
Details of the supplier of the	safety data sheet
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au
Contact Person	Mr. Russell Butler
Emergency telephone number	
Emergency telephone	NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003- NCEC" Local number +61 2 8 014 4558 General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)
National emergency telephor number	e Poison Information Hotline: 13 11 26

SECTION 2: Hazard(s) identification

Classification of the substance or mixture		
Physical hazards	Not Classified	
Health hazards	Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
Label elements		

3<5%

3<5%

(WashTec) - Eco Foam

Hazard pictograms



Signal word	DANGER
Hazard statements	H318 Causes serious eye damage.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.
Contains	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts, Alcohols, C12-C14, ethoxylated, sulfates, sodium salts

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

CAS number: 97862-59-4

Classification Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Alcohols, C12-C14, ethoxylated, sulfates, sodium salts

CAS number: 68891-38-3

Classification Skin Irrit. 2 - H315

Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

 General information
 Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

 Inhalation
 Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	Irritating to eyes.
Indication of any immediate m	edical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
Extinguishing media	
Extinguishing media Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture
Suitable extinguishing media Unsuitable extinguishing media <u>Special hazards arising from the</u> Specific hazards Hazardous combustion	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. <u>he substance or mixture</u> Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:
Suitable extinguishing media Unsuitable extinguishing media <u>Special hazards arising from the</u> Specific hazards Hazardous combustion products	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. <u>he substance or mixture</u> Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures Personal precautions No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. **Environmental precautions Environmental precautions** Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). Methods and material for containment and cleaning up Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reference to other sections Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. SECTION 7: Handling and storage, including how the chemical may be safely used Precautions for safe handling Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Advice on general Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when occupational hygiene using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace. Conditions for safe storage, including any incompatibilities

Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.	
Storage class	Acid-reactive storage.	
Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
SECTION 8: Exposure contro	Is and personal protection	
Ingredient comments	No exposure limits known for ingredient(s).	
<u>1-Propanaminiu</u>	m, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts (CAS: 97862-59-4)	
Ingredient comm	No exposure limits known for ingredient(s).	
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)	
Ingredient comm	No exposure limits known for ingredient(s).	
Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.	

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties Appearance Clear liquid. Colour Colourless to pale yellow. Odour Chemical. pН pH (concentrated solution): ~ 9.13 Initial boiling point and range ~ 90°C Flash point > 93°C Closed cup. **Relative density** ~ 1.005 Other information None. 6/13

SECTION 10: Stability and reactivity

SECTION 10: Stability and rea	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	Acid anhydrides. Acids. Phenols, cresols.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological inf	ormation
Information on toxicological eff	fects
<u>Acute toxicity - oral</u> Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.	
Skin Contact	Prolonged contact may cause dryness of the skin.	
Eye contact	Irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target Organs	No specific target organs known.	

Toxicological information on ingredients.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Other health effects	There is no evidence that the product can cause cancer.	
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	7,783.0	
Species	Rat	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,066.0	
Species	Rat	
Skin sensitisation		
Skin sensitisation	Not sensitising.	
Reproductive toxicity		
Reproductive toxicity - development	Developmental toxicity: - NOAEL: 1,000 mg/kg, Oral, Rat	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	NOAEL 300 mg/kg, Oral, Rat Not classified as a specific target organ toxicant after repeated exposure.	
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts	
Acute toxicity - oral		

8/13

Acute toxicity or al (LDs mg/kg) 2.001.0 Species Rat ACute toxicity - dermal 2.001.0 Acute toxicity - dermal 2.001.0 Acute toxicity - dermal 2.001.0 Species Rat Acute toxicity dermal 2.001.0 Species Rat Acute toxicity dermal 2.001.0 Skin sensitisation 0.001.0 Skin sensitisation Not resarded as dangerous for the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. However, large or frequent spills may have heat set on the environment. Ecological Information on ingretemes. Information on ingretemes. Ecotoxicity Harmful to aquatic life. Ecotoxicity Based - wailable data the classification criteria are not met. Ecotoxicity Based - wailable data the classification criteria are not met. Ecotoxicity Cicon of on gretemes. Acute toxicity - flaw LCSO. 96 hours: ~1.11 mg/l, Pimephales promelas (Fat-head Minnov) <th></th> <th></th> <th></th>			
ATE oral (mg/kg) 2,001.0 Acute toxicity - demal 2,001.0 Acute toxicity demmal (LDs) 2,001.0 mg/kg) Species Rat ATE demai (mg/kg) 2,001.0 Sin sensitisation Not sensitising. SECTION 12: Ecological Information on ingredients Not resurcited as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecotoxicity Not regarded as dangerous for the environment. Ecotoxicity Harmful to aquatic life. Ecotoxicity Harmful to aquatic life. Ecotoxicity The product is not expected to be hazardous to the environment. Ecotoxicity Based		• •	2,001.0
Acute toxicity - demail Acute toxicity demail (LDe 2.001.0 mg/kg) Species Rat ATE demail (mg/kg) 2.001.0 Skin sensitisation 2.001.0 Skin sensitisation Skin sensitisation State toxicity demail (LDe 2.001.0 mg/kg) 2.001.0 Skin sensitisation Not sensitising. SECTION 12: Ecological information Not reserve to mazardous off the environment. However, large or frequent spills may have hazardous offects on the environment. Ecological Information on Ingredients. Inter sails Ecological Information Harmful to aquatic life. Inter sails Acotols, C12-C14, ethoxylated, sulfates, sodium sails Ecological Information on Ingredients. Inter sails		Species	Rat
Acute toxicity - equatic toxicity - square 2.001.0 mg/kg) 2.001.0 Species Rat ATE dermal (mg/kg) 2.001.0 Skin sensitisation Not sensitising. Sectorol 12: Ecological information Not sensitising. Sectorol 12: Ecological information Not sensitising. Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous. Ecological information on Ingredients. Inner salts Ecotoxicity Harmful to aquatic life. Acute toxicity Harmful to aquatic life. Acotols, C12-C14, ethoxylated, sulfates, sodium salts Inner salts Ecotoxicity The product is not expected to be hazardous to the environment. Ecological information on ingredients. Inner salts Ecological information on ingredients. Ecological information on ingredients. Immer salts Immer salts Acute toxicity - square ECon, 48 hours: 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - square ECon, 72 hours: 2.4 mg/l, Freshwater algae liners Acute toxicity - square ECon, 72 hours: 2.4 mg/l, Freshwater algae liners Inner saltoxicity - square ECon, 72 hours: 2.4 m		ATE oral (mg/kg)	2,001.0
mg/kg) Rat Species Rat ATE dermal (mg/kg) 2.001.0 Skin sensitisation Not sensitising. SECTION 12: Ecological Information Not sensitising. Section 12: Ecological Information on Ingredients. Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecological Information on Ingredients. Inter salts Acu		Acute toxicity - dermal	
ATe demail (mg/kg) 2,001.0 Skin sensitisation Skin sensitisation Skin sensitisation Not respiritising. SECTION 12: Ecological information Not respiritising. Section 12: Ecological information on ingredients. Information on ingredients. Ecological information on ingredients. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecological information on ingredients. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecological information on ingredients. Information on ingredients. Ecological information on ingredients. Information or ingredients. Information on ingredients. Information or ingredients. Ecological information on ingredients. Ecological information on ingredients. Information on ingredients. Information or ingredients. Acute toxicity - squate C50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquate C50, 72 hours: 2.4 mg/l, Freshwater algae plants Cinonia caquatic toxicity - aquate Cino			2,001.0
Skin sensitisation Skin sensitisation Not sensitising. SECTION 12: Ecological information Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecological information on Ingredients. Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecological information on Ingredients. Information on Ingredients. Ecotoxicity Harmful to aquatic life. Acohois, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Ecological information on ingredients. Inner salts Ecotoxicity Based on available data the classification criteria are not met. Ecological information on ingredients. Inner salts Acute aquatic toxicity Acute objectity Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic EC _{eos} , 48 hours: 1.9 mg/l, Daphnia magna invertebrates Plants EC _{eos} , 72 hours: 2.4 mg/l, Freshwater algae plants Acute toxicity - aquatic EC _{eos} , 3000 mg/l, Activated sludge microorganisms Chronic toxicity - fish early microorganism		Species	Rat
Skin sensitisation Not sensitising. SECTION 12: Ecological information Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecological information on Ingredients. 1-Propanaminium, 3-amin-t/carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, linner salts Ecoloxicity Harmful to aquatic life. Ecotoxicity Harmful to aquatic life. Ecotoxicity Harmful to aquatic life. Ecotoxicity The product is not expected to be hazardous to the environment. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Based on available data the classification criteria are not met. Ecotoxicity Scote toxicity Acute aquatic toxicity Based on available data the classification criteria are not met. Ecotoxicity Geo. 96		ATE dermal (mg/kg)	2,001.0
SECTION 12: Ecological information Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecotoxicity 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C3-18(even numbered) acyl derivs., hydroxides, inner salts Ecotoxicity Harmful to aquatic life. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. I-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C3-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. I-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C3-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Gased on available data the classification criteria are not met. Ecological information on ingredients. Inner salts Acute aquatic toxicity Gased on available data the classification criteria are not met. Ecological information Incor		Skin sensitisation	
Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. Ecological information on ingredients. 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Ecotoxicity Harmful to aquatic life. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Acute aquatic toxicity Acute toxicity - aquatic ECoo, 48 hours: ~ 1.11 mg/l, Pimephales prometas (Fat-head Minnow) Acute toxicity - aquatic ECoo, 72 hours: 2.4 mg/l, Daphnia magna invertebrates Acute toxicity - aquatic ECoo, 72 hours: 2.4 mg/l, Freshwater algae plants Acute toxicity - ECo, : 3,000 mg/l, Activated sludge microorganisms Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna 		Skin sensitisation	Not sensitising.
Internation on Ingredients. Information on Ingredients. Information on Ingredients. Information on Ingredients. Inner salts Inner salts Into aquatic life. Internation on Ingredients. Internation on Ingredients. </th <th>SECTION 1</th> <th>2: Ecological information</th> <th></th>	SECTION 1	2: Ecological information	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Ecotoxicity Harmful to aquatic life. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic ECso, 48 hours: 1.9 mg/l, Daphnia magna invertebrates Acute toxicity - aquatic Acute toxicity - aquatic ECso, 72 hours: 2.4 mg/l, Freshwater algae plants Chronic aquatic toxicity Acute toxicity - aquatic ECso, 3,000 mg/l, Activated sludge microorganisms Chronic toxicity - fish early Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage NOEC, : 0.3 mg/l, Daphnia magna	Ecotoxicity	_	
Inner salts Ecotoxicity Harmful to aquatic life. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based on available data the classification criteria are not met. Ecological Information on Ingredients. 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic ECso, 48 hours: 1.9 mg/l, Daphnia magna Ecological information Acute toxicity - aquatic ECso, 72 hours: 2.4 mg/l, Freshwater algae Ecological information of microorganisms Chronic aquatic toxicity ECo, : 3,000 mg/l, Activated sludge Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) Ife stage NOEC, : 0.3 mg/l, Daphnia magna	Ecological in	nformation on ingredients.	
Ecotoxicity Harmful to aquatic life. Alcohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based		1-Propanaminium, 3-amino	-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
Acohols, C12-C14, ethoxylated, sulfates, sodium salts Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based			inner salts
Ecotoxicity The product is not expected to be hazardous to the environment. Toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. Ecological information on ingredients. Ecological information on ingredients. Information on ingredients. Acute aquatic toxicity Acute aquatic toxicity Acute aquatic toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic invertebrates ECso, 48 hours: 1.9 mg/l, Daphnia magna invertebrates Acute toxicity - aquatic plants ECso, 72 hours: 2.4 mg/l, Freshwater algae plants Chronic aquatic toxicity ECso, 13000 mg/l, Activated sludge Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna		Ecotoxicity	Harmful to aquatic life.
Toxicity Based on available data the classification criteria are not met. Ecological information on ingredients. I-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Daphnia magna invertebrates ECso, 48 hours: 1.9 mg/l, Daphnia magna Acute toxicity - aquatic ECso, 72 hours: 2.4 mg/l, Freshwater algae plants ECso, 72 hours: 2.4 mg/l, Freshwater algae Chronic aquatic toxicity ECso, 3,000 mg/l, Activated sludge Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) ife stage NOEC, : 0.3 mg/l, Daphnia magna			Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
Ecological information on ingredients. Intersection on ingredients. Acute aquatic toxicity Acute toxicity - fish Acute toxicity - aquatic invertebrates ECso, 48 hours: 1.9 mg/l, Daphnia magna Acute toxicity - aquatic ECso, 72 hours: 2.4 mg/l, Freshwater algae plants ECso, 72 hours: 2.4 mg/l, Freshwater algae Acute toxicity - microorganisms ECso, 3,000 mg/l, Activated sludge Chronic aquatic toxicity ECso, 3,000 mg/l, Activated sludge Microorganisms Chronic toxicity - fish early Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna		Ecotoxicity	The product is not expected to be hazardous to the environment.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Acute aquatic toxicity Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic EC50, 96 hours: ~ 1.11 mg/l, Daphnia magna invertebrates Acute toxicity - aquatic Acute toxicity - aquatic EC50, 72 hours: 2.4 mg/l, Freshwater algae plants Acute toxicity - Acute toxicity - EC0, : 3,000 mg/l, Activated sludge microorganisms Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage NOEC, : 0.3 mg/l, Daphnia magna	Toxicity	Based or	n available data the classification criteria are not met.
inner salts Acute aquatic toxicity Acute toxicity - fish LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - aquatic invertebrates ECso, 48 hours: 1.9 mg/l, Daphnia magna Acute toxicity - aquatic plants ECso, 72 hours: 2.4 mg/l, Freshwater algae Acute toxicity - aquatic plants ECso, 72 hours: 2.4 mg/l, Freshwater algae Chronic aquatic toxicity ECso, : 3,000 mg/l, Activated sludge Chronic aquatic toxicity NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage NOEC, : 0.3 mg/l, Daphnia magna	Ecological in	nformation on ingredients.	
Acute aquatic toxicityAcute aquatic toxicityAcute toxicity - fishLC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow)Acute toxicity - aquatic invertebratesECso, 48 hours: 1.9 mg/l, Daphnia magnaAcute toxicity - aquatic plantsECso, 72 hours: 2.4 mg/l, Freshwater algaeAcute toxicity - aquatic plantsECso, 72 hours: 2.4 mg/l, Freshwater algaeAcute toxicity - microorganismsECso, : 3,000 mg/l, Activated sludgeChronic aquatic toxicity life stageNOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)NOEC, : 0.3 mg/l, Daphnia magna		1-Propanaminium, 3-amino	
Acute toxicity - fishLC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow)Acute toxicity - aquatic invertebratesEC50, 48 hours: 1.9 mg/l, Daphnia magnaAcute toxicity - aquatic plantsEC50, 72 hours: 2.4 mg/l, Freshwater algaeAcute toxicity - plantsEC0, : 3,000 mg/l, Activated sludgeChronic aquatic toxicity life stageNOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)MoEC, : 0.3 mg/l, Daphnia magna			inner salts
Acute toxicity - aquatic invertebratesECso, 48 hours: 1.9 mg/l, Daphnia magnaAcute toxicity - aquatic plantsECso, 72 hours: 2.4 mg/l, Freshwater algaeAcute toxicity - microorganismsECso, : 3,000 mg/l, Activated sludgeChronic aquatic toxicity life stageNOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)Chronic toxicity - aquaticNOEC, : 0.3 mg/l, Daphnia magna		<u>.</u>	
invertebrates Acute toxicity - aquatic plants EC ₅₀ , 72 hours: 2.4 mg/l, Freshwater algae Acute toxicity - microorganisms EC ₀ , : 3,000 mg/l, Activated sludge Chronic aquatic toxicity EC ₀ , : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) Ife stage NOEC, : 0.3 mg/l, Daphnia magna		-	
plantsAcute toxicity - microorganismsEC_o, : 3,000 mg/l, Activated sludgeChronic aquatic toxicityEC_o, : 0,100 mg/l, Activated sludgeChronic toxicity - fish early life stageNOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)Chronic toxicity - aquaticNOEC, : 0.3 mg/l, Daphnia magna			EC₅₀, 48 hours: 1.9 mg/l, Daphnia magna
microorganisms <u>Chronic aquatic toxicity</u> Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna		• •	EC₅₀, 72 hours: 2.4 mg/l, Freshwater algae
Chronic toxicity - fish early NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout) life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna		-	EC _o , : 3,000 mg/l, Activated sludge
life stage Chronic toxicity - aquatic NOEC, : 0.3 mg/l, Daphnia magna		Chronic aquatic toxicity	
			NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)
			NOEC, : 0.3 mg/l, Daphnia magna

Alcohols, C12-C14, ethoxylated, sulfates, sodium salts

	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, ~: ~ 7.1 mg/l,
	Acute toxicity - aquatic invertebrates	EC₅₀, ~: ~ 1 - 10 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, ~: ~ 10 - 100 mg/l, Freshwater algae
Persistence	and degradability	
Persistence	and degradability The pro	oduct is expected to be biodegradable.
Ecological i	nformation on ingredients.	
	1-Propanaminium, 3-amir	o-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
		inner salts
	Persistence and degradability	The product is biodegradable.
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
	Persistence and	The product is biodegradable
	degradability	The product is biodegradable.
Bioaccumu	ative potential	
Bioaccumu	ative Potential No data	a available on bioaccumulation.
Ecological i	nformation on ingredients.	
		o-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
	<u>·····</u>	inner salts
	Bioaccumulative Potentia	The product does not contain any substances expected to be bioaccumulating. BCF: 71,
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
Mobility in s		
Mobility		oduct is water-soluble and may spread in water systems. The product is non-volatile.
-	nformation on ingredients.	
	-	o-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
		inner salts
	Mobility	The product is soluble in water.
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
	Mobility	The product is soluble in water.
Other adve	rse effects	
Other adve	rse effects None k	nown.

SECTION 13: Disposal considerations

Waste treatment methods	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport infor	mation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).

UN number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). National Code of Practice for the Preparation of Material Safety Data Sheets. Approved Criteria for Classifying Hazardous Substances. Exposure Standards for Atmospheric Contaminants in the Occupational Environment. Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment. National Code of Practice for the Labelling of Workplace Substances. National Model Regulations for the Control of Workplace Hazardous Substances. National Code of Practice for the Control of Workplace Hazardous Substances. National Code of Practice for the Storage and Handling of Workplace Dangerous Goods. National Code of Practice for the Storage and Handling of Workplace Dangerous Goods. Guidance Note for Placarding Stores for Dangerous Goods and Specified Hazardous Substances. Guidance Note for the Assessment of Health Risks Arising from Hazardous Substances in the Workplace. National Standard for the Control of Major Hazard Facilities. National Code of Practice for the Control of Major Hazard Facilities.
Schedule (SUSMP)	No Poison Schedule number allocated

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

Australia - AIIC

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information		
Abbreviations and acronyms used in the safety data sheet	ADG: Australian dangerous goods code	
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative. 	
Classification abbreviations and acronyms	Eye Irrit. = Eye irritation	
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616	
Revision date	1/12/2020	

Revision	5
Supersedes date	1/12/2020
SDS No.	21904
SDS status	Approved.
Hazard statements in full	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.