

SAFETY DATA SHEET

Ultra Gleam Wash & Wax

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

SECTION 1: Identification: Product identifier and chemical identity		
Product identifier		
Product name	Ultra Gleam Wash & Wax	
Relevant identified uses of the	e substance or mixture and uses advised against	
Application	Car maintenance product Auto shampoo.	
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.	
Details of the supplier of the s	afety data sheet	
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au	
Contact Person	Mr. Russell Butler	
Emergency telephone numbe	ī	
Emergency telephone	Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK) General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)	
National emergency telephone Poison Information Hotline: 13 11 26 number		
SECTION 2: Hazard(s) identit	fication	
Classification of the substance	e or mixture	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Aquatic Chronic 3 - H412	
Label elements		
Hazard pictograms		
Signal word	DANGER	

Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves. P280 Wear eye protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched, 1- Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts, COCONUT DIETHANOLAMIDE, Dicocodimethylammonium chloride

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omega hydroxy-,branched	5<10%
CAS number: 9016-45-9	
M factor (Acute) = 1	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Aquatic Chronic 2 - H411	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl- ,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	3<5%
,N-C8-18(even numbered) acyl derivs., hydroxides, inner	3<5%
,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	3<5%

COCONUT DIETHANOLAMIDE

CAS number: 68155-07-7

Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 2<3%

1<1.25% Dicocodimethylammonium chloride CAS number: 61789-77-3 M factor (Acute) = 1 Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 PROPAN-2-OL 0.2<0.5% CAS number: 67-63-0 Substance with a Community workplace exposure limit. Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336 DIETHANOLAMINE 0.2<0.5% CAS number: 111-42-2 Substance with a Community workplace exposure limit. Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412 The full text for all hazard statements is displayed in Section 16. **SECTION 4: First aid measures** Description of first aid measures General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel. Inhalation Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Ingestion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water

Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Skin Contact	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms and	l effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Indication of any immediate m	edical attention and special treatment needed
Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
SECTION 5: Firefighting measurements	sures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Suitable extinguishing media Unsuitable extinguishing media	
Unsuitable extinguishing	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media Special hazards arising from t	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture
Unsuitable extinguishing media Special hazards arising from t Specific hazards Hazardous combustion	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. <u>he substance or mixture</u> Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:

Special protective equipment
for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967
(for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801
(for protective gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

ii	
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid contact with skin and eyes.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for cor	ntainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of damaging fertility. Suspected of damaging the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Miscellaneous hazardous material storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
SECTION 8: Exposure co	ntrols and personal protection

Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): 400 ppm 983 mg/m³ Short-term exposure limit (15-minute): 500 ppm 1230 mg/m³

DIETHANOLAMINE

Long-term exposure limit (8-hour TWA): 3 ppm 13 mg/m³

Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched (CAS: 9016-45-9)		
Ingredient comments	No exposure limits known for ingredient(s).	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,		
	inner salts (CAS: 97862-59-4)	
Ingredient comments	No exposure limits known for ingredient(s).	
	COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)	
Ingredient comments	No exposure limits known for ingredient(s).	
	Dicocodimethylammonium chloride (CAS: 61789-77-3)	
Ingredient comments	No exposure limits known for ingredient(s).	
controls		

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Light (or pale). Red.
Odour	Fruity. Pleasant, agreeable.
рН	pH (concentrated solution): ~7
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability Limit - Lower(%)	Not available.

Vapour pressure	Not available.
Vapour density	Not available.
Solubility(ies)	Miscible with water. Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Oxidising properties	Not available.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
SECTION 10: Stability and rea	ictivity
Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological int	formation
Information on toxicological ef	fects
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	6,802.72
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	444.44
Skin corrosion/irritation Animal data	Irritating.
Serious eye damage/irritation Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 2B Possibly carcinogenic to humans.
Reproductive toxicity Reproductive toxicity - fertility	Suspected of damaging fertility.
Reproductive toxicity - development	Suspected of damaging the unborn child.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	Avoid contact during pregnancy/while nursing. May damage fertility. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin Contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.

Toxicological information on ingredients.

Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-,branched

Acute toxicity - oral	
Notes (oral LD₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.

Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritat	ion	
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Specific target organ toxici	ty - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxici	ty - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin Contact	Redness. Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target Organs	No specific target organs known.	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,		
	inner salts	
Other health effects	There is no evidence that the product can cause cancer.	
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	7,783.0	
Species	Rat	

Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,066.0	
Species	Rat	
Skin sensitisation		
Skin sensitisation	Not sensitising.	
Reproductive toxicity		
Reproductive toxicity - development	Developmental toxicity: - NOAEL: 1,000 mg/kg, Oral, Rat	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	NOAEL 300 mg/kg, Oral, Rat Not classified as a specific target organ toxicant after repeated exposure.	
	COCONUT DIETHANOLAMIDE	
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	5,000.0	
Species	Rat	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0	
Species	Rat	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	

Carcinogenicity			
Carcinogenicity	Based on available data the classification criteria are not met.		
IARC carcinogenicity	None of the ingredients are listed or exempt.		
Reproductive toxicity			
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.		
Reproductive toxicity - development	Based on available data the classification criteria are not met.		
Specific target organ toxicit	y - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.		
Specific target organ toxicit	y - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard			
Aspiration hazard	Based on available data the classification criteria are not met.		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.		
Ingestion	May cause irritation.		
Skin Contact	Redness. Irritating to skin.		
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.		
Route of exposure	Ingestion Inhalation Skin and/or eye contact		
Target Organs	No specific target organs known.		
Dicocodimethylammonium chloride			
Other health effects	There is no evidence that the product can cause cancer.		
	PROPAN-2-OL		
Acute toxicity - oral			
Acute toxicity oral (LD₅₀ mg/kg)	5,840.0		
Species	Rat		
Acute toxicity - dermal			
Acute toxicity dermal (LD₅₀ mg/kg)	16.4		
Species	Rabbit		
Respiratory sensitisation			
Respiratory sensitisation	Not sensitising.		

Skin sensitisation		
Skin sensitisation	Not sensitising.	
Carcinogenicity		
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.	
Inhalation	Drowsiness, dizziness, disorientation, vertigo.	
Ingestion	No specific health hazards known.	
Skin Contact	No specific health hazards known.	
Eye contact	Irritating to eyes.	
	DIETHANOLAMINE	
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,600.0	
Species	Rat	
ATE oral (mg/kg)	500.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	12,970.0	
Species	Rabbit	
ATE dermal (mg/kg)	12,970.0	
Skin corrosion/irritation		
Animal data	Causes skin irritation.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Not sensitising.	
Skin sensitisation		
Skin sensitisation	Not sensitising.	
Germ cell mutagenicity		
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.	
Carcinogenicity		
IARC carcinogenicity	IARC Group 2B Possibly carcinogenic to humans.	
Reproductive toxicity		
Reproductive toxicity - development	This substance has no evidence of toxicity to reproduction.	
Specific target organ toxicity - single exposure		

	/ - repeated exposure
Specific target organ toxicity	· · · · ·
STOT - repeated exposure	Causes damage to organs (Blood, Kidneys, Liver) through prolonged or repeated exposure if swallowed.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
Inhalation	May cause respiratory system irritation.
Ingestion	May cause stomach pain or vomiting.
Skin Contact	Irritating to skin.
Eye contact	Risk of serious damage to eyes. Corneal damage.
SECTION 12: Ecological information	

Ecological information on ingredients.

	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,			
		inner salts		
	Ecotoxicity	Harmful to aquatic life.		
		COCONUT DIETHANOLAMIDE		
	Ecotoxicity	The product is mildly toxic to aquatic organisms.		
		PROPAN-2-OL		
	Ecotoxicity	The product is not expected to be hazardous to the environment.		
	DIETHANOLAMINE			
	Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.		
Toxicity	Aquatio	Chronic 3 - H412 Harmful to aquatic life with long lasting effects.		
Ecological i	Ecological information on ingredients.			
	Poly(o>	y-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched		
	Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life.		
	Acute aquatic toxicity			
	LE(C)₅₀	$0.1 < L(E)C50 \le 1$		
	M factor (Acute)	1		
	1-Propanaminium, 3-amir	o-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,		
		inner salts		
	Acute aquatic toxicity			
	Acute toxicity - fish	LC50, 96 hours: ~ 1.11 mg/l, Pimephales promelas (Fat-head Minnow)		

Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1.9 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 2.4 mg/l, Freshwater algae
Acute toxicity - microorganisms	EC₀, : 3,000 mg/l, Activated sludge
Chronic aquatic toxicity	
Chronic toxicity - fish early life stage	NOEC, : 0.135 mg/l, Oncorhynchus mykiss (Rainbow trout)
Chronic toxicity - aquatic invertebrates	NOEC, : 0.3 mg/l, Daphnia magna
	COCONUT DIETHANOLAMIDE
Toxicity	Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 2.4 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 3.2 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LC₅₀, 72 hours: 3.9 mg/l, Algae
	Dicocodimethylammonium chloride
Acute aquatic toxicity	
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC₅₀, 96 hours: 0.195 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.01-0.1 mg/l, Daphnia magna
	PROPAN-2-OL
Acute aquatic toxicity	
Acute toxicity - fish	LC50, 96 hours: ~ 9640 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC₅₀, >: > 1000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: > 1000 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC₅₀, >: > 1000 mg/l, Activated sludge
	DIETHANOLAMINE
Acute aquatic toxicity	
Acute toxicity - fish	LC50, 96 hours: > 1 mg/l, Freshwater fish

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-,branched

	Persistence and degradability		The degradability of the product is not known.
	1-Propanaminium	n, 3-amino	-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
			inner salts
	Persistence and degradability		The product is biodegradable.
			COCONUT DIETHANOLAMIDE
	Persistence and degradability		
			Dicocodimethylammonium chloride
	Persistence and degradability		The product is biodegradable.
			PROPAN-2-OL
	Persistence and degradability		The product is expected to be biodegradable.
	Biodegradation		Degradation (%) - 95: 21 days
	Biological oxyger	demand	~ 1171 g O₂/g substance
	Chemical oxygen	demand	∼ 2294 g O₂/g substance
			DIETHANOLAMINE
	Persistence and degradability		The product is biodegradable.
Bioaccumul	ative potential		
Bioaccumul	ative Potential	No data	available on bioaccumulation.
Partition coe	efficient	Not avail	able.
Ecological in	nformation on ingre	edients.	
		Poly(oxy	-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched

Bioaccumulative Potential No data available on bioaccumulation.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Mobility

Ultra Gleam Wash & Wax

	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating. BCF: 71,
		COCONUT DIETHANOLAMIDE
	Bioaccumulative Potential	No data available on bioaccumulation.
		Dicocodimethylammonium chloride
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
		PROPAN-2-OL
	Bioaccumulative Potential	The product is not bioaccumulating.
	Partition coefficient	log Pow: 0.05
		DIETHANOLAMINE
	Bioaccumulative Potential	No data available on bioaccumulation.
Mobility in a	soil	
Mobility	The pro-	duct is water-soluble and may spread in water systems. The product is non-volatile.
Ecological	information on ingredients.	
	Poly(ox)	y-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched
	Mobility	The product is water-soluble and may spread in water systems. The product is non-volatile.
	1-Propanaminium, 3-amino	p-N-(carboxymethyl)-N,N-dimethyl-,N-C8-18(even numbered) acyl derivs., hydroxides,
		inner salts
	Mobility	The product is soluble in water.
		COCONUT DIETHANOLAMIDE
	Mobility	The product is water-soluble and may spread in water systems. The product is non-volatile.
		Dicocodimethylammonium chloride
	Mobility	The product is soluble in water.
		PROPAN-2-OL
	Mobility	The product is soluble in water.
	Adsorption/desorption coefficient	Water - Koc: ~ 1.1 @ °C
	Henry's law constant	0.00000338 atm m3/mol @ 25°C
		DIETHANOLAMINE

The product is soluble in water.

Other adverse effects			
Other adverse effects	None known.		
Ecological information on ingre	edients.		
	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-,branched		
Other adverse ef	fects None known.		
	COCONUT DIETHANOLAMIDE		
Other adverse ef	fects None known.		
SECTION 13: Disposal consid	lerations		
Waste treatment methods			
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.		
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.		
	SECTION 14: Transport information		
SECTION 14: Transport inform	nation		
SECTION 14: Transport inform	nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).		
	The product is not covered by international regulations on the transport of dangerous goods		
General	The product is not covered by international regulations on the transport of dangerous goods		
General UN number	The product is not covered by international regulations on the transport of dangerous goods		
General <u>UN number</u> Not applicable.	The product is not covered by international regulations on the transport of dangerous goods		
General <u>UN number</u> Not applicable. <u>UN proper shipping name</u>	The product is not covered by international regulations on the transport of dangerous goods		
General <u>UN number</u> Not applicable. <u>UN proper shipping name</u> Not applicable.	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).		
General <u>UN number</u> Not applicable. <u>UN proper shipping name</u> Not applicable. <u>Transport hazard class(es)</u>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ Transport labels No transport warning sign requ	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ Transport labels No transport warning sign requ Packing group	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ Transport labels No transport warning sign requ Packing group Not applicable.	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ Transport labels No transport warning sign requ Packing group Not applicable. Environmental hazards Environmentally hazardous su	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		
General UN number Not applicable. UN proper shipping name Not applicable. Transport hazard class(es) No transport warning sign requ Transport labels No transport warning sign requ Packing group Not applicable. Environmental hazards Environmentally hazardous sur No.	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). uired.		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

$\underline{ Safety, health and environmental regulations/legislation specific for the substance or mixture } \\$

Schedule (SUSMP)

No Poison Schedule number allocated

Inventories

Australia - AICS

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information

General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	7/05/2019
Revision	1
SDS No.	21713
SDS status	Approved.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.