

SAFETY DATA SHEET

Snowfoam Pro

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1: Identification: Product identifier and chemical identity	
Product identifier	
Product name	Snowfoam Pro
Product No.	629-1
Relevant identified uses of the	e substance or mixture and uses advised against
Application	Car maintenance product. Cleaning agent Traffic Film Remover
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.
Details of the supplier of the s	afety data sheet
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au
Contact Person	Mr. Russell Butler
Manufacturer	Autosmart International Ltd Lynn Lane Shenstone, nr Lichfield Staffordshire WS14 0DH Great Britain www.autosmartinternational.com Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00) info@autosmartinternational.com
Emergency telephone number	Ī
Emergency telephone	NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003- NCEC" Local number +61 2 8 014 4558 General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)
National emergency telephone number	e Poison Information Hotline: 13 11 26

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

15<20%

Snowfoam Pro

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 3 - H402 Aquatic Chronic 3 - H412
Label elements	
Hazard pictograms	
Le Contraction of the second s	
Signal word	DANGER
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label information	Contains d-LIMONENE. May produce an allergic reaction.
Contains	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
Other hazards	

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

Mixtures

2-BUTOXYETHANOL

CAS number: 111-76-2

Substance with a Community workplace exposure limit.

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

Trisodium Nitrilotriacetate	3<5%
CAS number: 5064-31-3	
Classification Acute Tox. 4 - H302 Eye Irrit. 2A - H319 Carc. 2 - H351	
Alcohols, C12-C14, ethoxylated, sulfates, sodium salts CAS number: 68891-38-3	3<5%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
β-Alanine, N-coco alkyl derivs., sodium salts CAS number: 68608-68-4	2<3%
Classification Eye Irrit. 2A - H319	
1-Dodecanol CAS number: 112-53-8 M factor (Acute) = 1	1<1.25%
Classification Eye Irrit. 2A - H319 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	
1-Tetradecanol CAS number: 112-72-1 M factor (Chronic) = 1	0.2<0.5%
Classification Eye Irrit. 2A - H319 Aquatic Chronic 1 - H410	
Sodium Acrylate CAS number: 7446-81-3 M factor (Acute) = 1	0.2<0.5%
Classification Aquatic Acute 1 - H400	

(R)-p-mentha-1,8-diene	0.1<0.2%
CAS number: 5989-27-5	
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Skin Sens. 1B - H317	
Asp. Tox. 1 - H304 Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
The full text for all hazard sta	tements is displayed in Section 16.
SECTION 4: First aid measur	res
Description of first aid measu	res
General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms an	d effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause irritation.
Skin contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	ures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	ne substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	prage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	icluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Acid-reactive storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
SECTION 8: Exposure contro	Is and personal protection
Control parameters	
Occupational exposure limits	

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): 20 ppm 96.9 mg/m³ Short-term exposure limit (15-minute): 50 ppm 242 mg/m³ Sk

Sk = Absorption through the skin may be a significant source of exposure.

Snowfoam Pro

Trisodium Nitrilotriacetate (CAS: 5064-31-3)

Ingredient comm	ents No exposure limits known for ingredient(s).
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)
Ingredient comm	ents No exposure limits known for ingredient(s).
	β-Alanine, N-coco alkyl derivs., sodium salts (CAS: 68608-68-4)
Ingredient comm	ents No exposure limits known for ingredient(s).
	1-Dodecanol (CAS: 112-53-8)
Ingredient comm	ents No exposure limits known for ingredient(s).
	(R)-p-mentha-1,8-diene (CAS: 5989-27-5)
Ingredient comm	ents No exposure limits known for ingredient(s).
Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required

7/18

instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties	
Appearance	Liquid.
Colour	Orange.
Odour	Citrus.
рН	pH (concentrated solution): 9.30
Flash point	Not applicable.
Other flammability	Not applicable.

Relative density	~ 1.018
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
Other information	None.
Volatile organic compound	This product contains a maximum VOC content of 173 g/l.
SECTION 10: Stability and rea	ctivity
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	Acid anhydrides. Acids. Phenols, cresols.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological inf	ormation
Information on toxicological eff Acute toxicity - oral	fects
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	4,345.91
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	6,470.59
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	64.71
Skin corrosion/irritation Animal data	Irritating.
Serious eye damage/irritation Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	

Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause irritation.
Skin Contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.

Toxicological information on ingredients.

2-BUTOXYETHANOL

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,300.0
Species	Rat
ATE oral (mg/kg)	1,300.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,270.0
Species	Rat
ATE dermal (mg/kg)	1,100.0
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	11.0
Skin sensitisation	

Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation:: Negative. This substance has no evidence of mutagenic properties.
Carcinogenicity	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility: - NOAEL 720 mg/kg, , Mouse
Reproductive toxicity - development	Developmental toxicity: - NOAEL: 100 mg/kg, , Rat
	Trisodium Nitrilotriacetate
Toxicological effects	Nitrilotriacetic acid, trisodium salt (NTA) has caused kidney tumours in rats and mice when administered orally in high concentrations. The tumours are based on organ damage that can only occur when extremely high threshold limit concentrations, as compared with possible human exposure, are exceeded. In view of the potential degree of exposure, there should be no cancer risk to humans.
Acute toxicity - oral	
ATE oral (mg/kg)	500.0
Carcinogenicity	
Carcinogenicity	Limited evidence of a carcinogenic effect.
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	2,001.0
Species	Rat
ATE oral (mg/kg)	2,001.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅ mg/kg)	2,001.0
Species	Rat
ATE dermal (mg/kg)	2,001.0
Skin sensitisation	
Skin sensitisation	Not sensitising.
	β-Alanine, N-coco alkyl derivs., sodium salts
Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
-	

	Acute toxicity oral (LD ₅₀ mg/kg)	5,000.0
	Species	Rat
		1-Dodecanol
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	2,001.0
	Species	Rat
	ATE oral (mg/kg)	2,001.0
	Acute toxicity - dermal	
	Acute toxicity dermal (LD₅₀ mg/kg)	20,001.0
	Species	Rabbit
	ATE dermal (mg/kg)	20,001.0
		1-Tetradecanol
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	2,000.0
	Species	Rat
	Acute toxicity - dermal	
	Acute toxicity dermal (LD₅₀ mg/kg)	8,000.0
	Species	Rabbit
		(R)-p-mentha-1,8-diene
	Carcinogenicity	
	IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	Skin Contact	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.
SECTION 12: Ecological information		
Ecological information on ingredients.		
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
	Ecotoxicity	The product is not expected to be hazardous to the environment.
		β-Alanine, N-coco alkyl derivs., sodium salts
	Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

2-BUTOXYETHANOL

Acute aquatic toxicity	
Acute toxicity - fish	LC50, 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1550 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, >: > 100 mg/l,
Acute toxicity - microorganisms	EC₅₀, >: > 1000 mg/l,
Chronic aquatic toxicity	
Chronic toxicity - fish early life stage	NOEC, 21 days: > 100 mg/l,
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 100 mg/l, Daphnia magna
	Trisodium Nitrilotriacetate
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 114-470 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 560-1,000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC₅₀, 72 hours: 180-320 mg/l, Algae
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
Acute aquatic toxicity	
Acute toxicity - fish	LC50, ~: ~ 7.1 mg/l,
Acute toxicity - aquatic invertebrates	EC₅₀, ~: ~ 1 - 10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, ~: ~ 10 - 100 mg/l, Freshwater algae
	β-Alanine, N-coco alkyl derivs., sodium salts
Acute aquatic toxicity	
Acute toxicity - fish	NOEC, : 10.7 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EC₅₀, : 97.5 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 31 mg/l, Marinewater algae

1-Dodecanol

Acute aquatic toxicity	
LE(C)50	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
	1-Tetradecanol
Chronic aquatic toxicity	
NOEC	0.01 < NOEC ≤ 0.1
Degradability	Non-rapidly degradable
M factor (Chronic)	1
	Sodium Acrylate
Acute aquatic toxicity	
LE(C)50	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
	(R)-p-mentha-1,8-diene
Acute aquatic toxicity	
LE(C)50	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
Chronic aquatic toxicity	
NOEC	0.01 < NOEC ≤ 0.1
Degradability	Non-rapidly degradable
M factor (Chronic)	1
Persistence and degradability	
Persistence and degradability The proc	duct is expected to be biodegradable.
Ecological information on ingredients.	
	2-BUTOXYETHANOL
Persistence and degradability	The product is biodegradable.
Biodegradation	Water - Degradation (%) 90.4: 28 days
	Trisodium Nitrilotriacetate
Persistence and degradability	The product is biodegradable.
	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts
Persistence and degradability	The product is biodegradable.
	β-Alanine, N-coco alkyl derivs., sodium salts

	Persistence and degradability	The product is biodegradable.	
		(R)-p-mentha-1,8-diene	
	Persistence and degradability	Volatile substances are degraded in the atmosphere within a few days.	
Bioaccumul	ative potential		
Bioaccumul	Bioaccumulative Potential No data available on bioaccumulation.		
Ecological i	nformation on ingredients.		
		2-BUTOXYETHANOL	
	Bioaccumulative Potential	The product is not bioaccumulating.	
	Partition coefficient	: 0.81	
		Trisodium Nitrilotriacetate	
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.	
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts	
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.	
		β-Alanine, N-coco alkyl derivs., sodium salts	
	Bioaccumulative Potential	The product is not bioaccumulating.	
		(R)-p-mentha-1,8-diene	
	Bioaccumulative Potential	The product contains potentially bioaccumulating substances.	
Mobility in s	oil		
Mobility The product is water-soluble and may spread in water systems. The product is non-volatile.			
Ecological in	nformation on ingredients.		
		2-BUTOXYETHANOL	
	Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.	
	Adsorption/desorption coefficient	Water - Koc: ~ 67 @ °C	
	Henry's law constant	0.000016 atm m3/mol @ °C	
	Surface tension	65 mN/m @ °C	
	Trisodium Nitrilotriacetate		
	Mobility	The product is soluble in water.	
		Alcohols, C12-C14, ethoxylated, sulfates, sodium salts	

Mobility	The product is soluble in water.	
	β-Alanine, N-coco alkyl derivs., sodium salts	
Mobility	The product is soluble in water.	
	(R)-p-mentha-1,8-diene	
Mobility	The product is insoluble in water.	
Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
Waste treatment methods		
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).	
UN number		
Not applicable.		
UN proper shipping name		
Not applicable.		
Transport hazard class(es) No transport warning sign requ	lired.	
Packing group		
Not applicable.		
Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
Special precautions for user		
Not applicable.		

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Schedule (SUSMP) Schedule 6. Poison.

Inventories

Australia - AIIC

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information

Abbreviations and acronyms used in the safety data sheet	ADG: Australian dangerous goods code
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Eye Dam. = Serious eye damage Skin Irrit. = Skin irritation Aquatic Chronic = Hazardous to the aquatic environment (chronic)
General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	8/06/2021
Revision	7
Supersedes date	23/10/2019
SDS No.	21722
SDS status	Approved.

Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.