

SAFETY DATA SHEET

Pan Dandy

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1: Identification: Pro	duct identifier and chemical identity	
Product identifier		
Product name	Pan Dandy	
Relevant identified uses of the	substance or mixture and uses advised against	
Application	Washing up Liquid	
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.	
Details of the supplier of the safety data sheet		
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au	
Contact Person	Mr. Russell Butler	
Emergency telephone number		
Emergency telephone	NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003- NCEC" Local number +61 2 8 014 4558 General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)	
National emergency telephone number	Poison Information Hotline: 13 11 26	
SECTION 2: Hazard(s) identified	cation	

Classification of the substance or mixture

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Not Classified
Label elements	

Hazard pictograms



Signal word	DANGER
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear eye protection. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash before reuse.
Contains	Alcohols, C12-14, ethoxylated, dodecylbenzenesulfonic acid, sodium hydroxide

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

Alcohols, C12-14, ethoxylated

CAS number: 68439-50-9

Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318

dodecylbenzenesulfonic acid

CAS number: 85536-14-7

Classification

Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

5<10%

5<10%

sodium hydroxide	1<1.25%
CAS number: 1310-73-2	
Substance with a Community workplace exposure limit.	
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
2,2'-OXYBISETHANOL	0.2<0.5%
CAS number: 111-46-6	
Classification	
Acute Tox. 4 - H302	
phosphoric acid%	0.2<0.5%
	0.2<0.5%
CAS number: 7664-38-2	
Substance with a Community workplace exposure limit.	
Classification	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	0.1<0.2%
CAS number: 4719-04-4	
Classification	
Acute Tox. 4 - H302	
Acute Tox. 2 - H330	
Skin Sens. 1 - H317	
STOT RE 1 - H372	
The full text for all hazard statements is displayed in Section 16.	
SECTION 4: First aid measures	

Description of first aid measures

General information

Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

InhalationRemove affected person from source of contamination. Move affected person to fresh air and
keep warm and at rest in a position comfortable for breathing. Maintain an open airway.
Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained
personnel may assist affected person by administering oxygen. Place unconscious person on
their side in the recovery position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms and	effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Indication of any immediate me	edical attention and special treatment needed
Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
SECTION 5: Firefighting meas	ures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from th	e substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Advice for firefighters	

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental releas	e measures
Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid contact with skin and eyes.
Environmental precautions	
Environmental precautions	Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Following dilution, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, ir	ncluding any incompatibilities
Storage precautions	Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Chemical storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
SECTION 8: Exposure control	Is and personal protection
Control parameters	
Occupational exposure limits	
sodium hydroxide	
Ceiling value: 2 mg/m ³	
phosphoric acid%	
Long-term exposure limit (8-h Short-term exposure limit (15-	
	Alcohols, C12-14, ethoxylated (CAS: 68439-50-9)
Ingredient comm	No exposure limits known for ingredient(s).
	dodecylbenzenesulfonic acid (CAS: 85536-14-7)
Ingredient comm	No exposure limits known for ingredient(s).
Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties	
Appearance	Liquid.
Colour	Green.
Odour	Pleasant, agreeable.
Odour threshold	Not available.
рН	pH (concentrated solution): ~7
Melting point	Not available.

Initial boiling point and range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability Limit - Lower(%)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Solubility(ies)	Miscible with water. Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Oxidising properties	Not applicable.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
SECTION 10: Stability and reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Describility of homeondorse	

Possibility of hazardous No potentially hazardous reactions known.

Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.

Hazardous decomposition
productsDoes not decompose when used and stored as recommended. Thermal decomposition or
combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

reactions

Information on toxicological effects	
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	9,057.97
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	416.67
Skin corrosion/irritation	

Animal data	Irritating.
Serious eye damage/irritation Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin Contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
Toxicological information on ir	ngredients.

Alcohols, C12-14, ethoxylated

Acute toxicity - oralNotes (oral LD₅₀)Based on available data the classification criteria are not met.Acute toxicity - dermal

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Irritating
	Irritating.
Serious eye damage/irritat	—
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause irritation.
Skin Contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.

dodecylbenzenesulfonic acid

Acute toxicity - oral		
Notes (oral LD₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.	
ATE oral (mg/kg)	500.0	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	

Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Skin Contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
	sodium hydroxide
Other health effects	There is no evidence that the product can cause cancer.
Specific target organ toxicity	y - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity	/ - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
Route of exposure	Skin absorption Ingestion Skin and/or eye contact
Target Organs	No specific target organs known.
	2,2'-OXYBISETHANOL
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	4,400.0
Species	Rabbit
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,700.0
Species	Rabbit
	phosphoric acid%
Other health effects	There is no evidence that the product can cause cancer.
Skin sensitisation	
Skin sensitisation	Not sensitising.
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

Acute toxicity - oral

Acute toxicity oral (LDso
mg/kg)1,000.0SpeciesRatAcute toxicity - dermal
mg/kg)4,000.0SpeciesRatAcute toxicity - inhalation
mg/n8,000.0Acute toxicity - inhalation
mg/n9,000.0

SECTION 12: Ecological information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.

Alcohols, C12-14, ethoxylated

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.			
	dodecylbenzenesulfonic acid			
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.			
	sodium hydroxide			
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.			
	phosphoric acid%			
Ecotoxicity	The product may contribute to an excessive enrichment of the aquatic environment with nutrients. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.			
	2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol			
Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not contain organically bound halogen. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days.			
	Based on available data the classification criteria are not met.			
l information on ingre	dients.			
	Alcohols, C12-14, ethoxylated			

Toxicity

Toxicity

Ecological

Based on available data the classification criteria are not met.

dodecylbenzenesulfonic acid

Toxici	ty	Based on available data the classification criteria are not met.
		sodium hydroxide
Acute	aquatic toxicity	
Acute	toxicity - fish	LC50, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC₅₀, 96 hours: 125 mg/l, Fish
	toxicity - aquatic ebrates	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna EC₅₀, 48 hours: 40-240 mg/l, Daphnia magna
Acute plants	toxicity - aquatic	Not known.
		phosphoric acid%
Acute	aquatic toxicity	
Acute	toxicity - fish	LC50, : 100 mg/l, Freshwater fish
	toxicity - aquatic ebrates	EC₅₀, : 29 mg/l, Daphnia magna NOEC, 72 hours: 100 mg/l, Daphnia magna
Acute plants	toxicity - aquatic	IC₅₀, 72 hours: 590 mg/l, Freshwater algae
		2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
Acute	aquatic toxicity	
Acute	toxicity - fish	LC50, 96 hours: 12 mg/l, Brachydanio rerio (Zebra Fish)
	toxicity - aquatic ebrates	EC₅₀, 48 hours: 9 mg/l, Daphnia magna
Acute plants	toxicity - aquatic	EC₅₀, 72 hours: 5 mg/l, Scenedesmus subspicatus
Persistence and de	gradability	
Persistence and de	gradability The deg	radability of the product is not known.
Ecological informat	ion on ingredients.	
		Alcohols, C12-14, ethoxylated
	stence and dability	The product is readily biodegradable.
		dodecylbenzenesulfonic acid
	stence and dability	The degradability of the product is not known.
		sodium hydroxide
	stence and dability	The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.

Stability (hyd	drolysis)	Not applicable.
Biological ox	kygen demand	∼ 0 g O₂/g substance
		phosphoric acid%
Persistence degradability		The product contains mainly inorganic substances which are not biodegradable. The other substances in the product are expected to be readily biodegradable.
		2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
Persistence degradability		The product is biodegradable.
Biological ox	kygen demand	~ 0.8 g O₂/g substance
Chemical ox	ygen demand	∼ 1.100 g O₂/g substance
Bioaccumulative potential		
Bioaccumulative Potentia		available on bioaccumulation.
Partition coefficient	Not avai	lable.
Ecological information on	ingredients.	
		Alcohols, C12-14, ethoxylated
Bioaccumula	ative Potential	No data available on bioaccumulation.
Partition coe	officient	Not available.
		dodecylbenzenesulfonic acid
Bioaccumula	ative Potential	No data available on bioaccumulation.
		sodium hydroxide
Bioaccumula	ative Potential	The product is not bioaccumulating.
		phosphoric acid%
Bioaccumula	ative Potential	The product does not contain any substances expected to be bioaccumulating.
		2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
Bioaccumula	ative Potential	The product is not bioaccumulating.
Mobility in soil		
Mobility	The proc	duct is water-soluble and may spread in water systems. The product is non-volatile.
Ecological information on	ingredients.	
		Alcohols, C12-14, ethoxylated
Mobility		The product is water-soluble and may spread in water systems. The product is non-volatile.
		dodecylbenzenesulfonic acid

	Mahilita	The product is water caluble and may append in water systems. The product is par	
	Mobility	The product is water-soluble and may spread in water systems. The product is non- volatile.	
		sodium hydroxide	
	Mobility	The product is soluble in water.	
	Henry's law consta	nt The product contains mainly inorganic substances which are not biodegradable.	
		phosphoric acid%	
	Mobility	The product is soluble in water.	
		2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	
	Mobility	The product is soluble in water.	
Other advers	se effects		
Other advers	se effects	None known.	
Ecological in	formation on ingred	ients.	
		Alcohols, C12-14, ethoxylated	
	Other adverse effect	cts None known.	
		dodecylbenzenesulfonic acid	
	Other adverse effe	cts None known.	
SECTION 13	3: Disposal consider		
	nent methods		
General info	rmation	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal me		Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14	4: Transport informa	tion	
General		The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).	
UN number			
Not applicab	1		
	lle.		
UN proper sl	hipping name		

Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Schedule (SUSMP) No F

No Poison Schedule number allocated

Inventories

Australia - AIIC

All the ingredients are listed or exempt.

SECTION 16: Any other re	elevant information
General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	19/05/2021
Revision	2
Supersedes date	19/09/2016
SDS No.	21263
SDS status	Approved.

Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage. H330 Fatal if inhaled. H372 Causes damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.