

SAFETY DATA SHEET

Red Acid HD

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1: Identification: Pro	duct identifier and chemical identity	
Product identifier		
Product name	Red Acid HD	
Relevant identified uses of the substance or mixture and uses advised against		
Application	Car maintenance product Cleaning agent.	
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.	
Details of the supplier of the safety data sheet		
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au	
Contact Person	Mr. Russell Butler	
Emergency telephone number		
Emergency telephone	NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003- NCEC" Local number +61 2 8 014 4558 General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)	
National emergency telephone number	Poison Information Hotline: 13 11 26	
SECTION 2: Hazard(s) identified	cation	

Classification of the substance or mixture	
Physical hazards	Met. Corr. 1 - H290
Health hazards	Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified
Label elements	

Hazard pictograms



Signal word	DANGER
Hazard statements	H290 May be corrosive to metals. H301 Toxic if swallowed. H310 Fatal in contact with skin. H332 Harmful if inhaled. H314 Causes severe skin burns and eye damage.
Precautionary statements	 P260 Do not breathe vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P321 Specific treatment (see medical advice on this label). P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	hydrochloric acid%, hydrofluoric acid %, phosphoric acid%, C9-C11 Alcohol ethoxylate (6)

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

5<10%

SECTION 3: Composition and information on ingredients

Mixtures

hydrochloric acid ...%

CAS number: 7647-01-0

Substance with a Community workplace exposure limit.

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

hydrofluoric acid ... % 2<3% CAS number: 7664-39-3 Substance with a Community workplace exposure limit. Classification Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 2<3% phosphoric acid ...% CAS number: 7664-38-2 Substance with a Community workplace exposure limit. Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 C9-C11 Alcohol ethoxylate (6) 1.75<2.0% CAS number: 68439-46-3 Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

General information	CAUTION! First aid personnel must be aware of own risk during rescue! First aid personnel should wear appropriate protective equipment during any rescue. Get medical attention immediately. Effects may be delayed. Keep affected person under observation. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Get medical attention immediately.

Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Give milk instead of water if readily available. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical attention immediately.
Skin Contact	It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Care should be taken to avoid contact with contaminants when removing contaminated clothing. First aid personnel should wear appropriate protective equipment during any rescue. Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Apply Calcium Gluconate Gel over the affected areas. Get medical attention immediately. Effects may be delayed. Chemical burns must be treated by a physician. Show this Safety Data Sheet to the medical personnel. Wash contaminated clothing before reuse.
Eye contact	Get medical attention immediately. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Consult a physician for specific advice. Effects may be delayed. Medical aid should instil several drops of sterile calcium gluconate solution. Show this Safety Data Sheet to the medical personnel.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms and	d effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. Effects may be delayed. Keep affected person under observation. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Delayed, often serious, breathing problems. Severe irritation of nose and throat.
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. Ingestion of even small quantities may be fatal.
Skin contact	A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death. Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Vapour or spray may cause eye damage, impaired sight or blindness.
Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	Specific notes for fluoride derivatives: Keep affected person under observation. If calcium gluconate gel is available, rub it into affected skin. Do not use this method for treatment of eyes. Massage continuously until pain disappears. If ingested, give milk or calcium gluconate by mouth. Development of symptoms may be delayed for 24 to 48 hours.
SECTION 5: Firefighting mea	sures

Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic. Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
Hazchem Code	2X
SECTION 6: Accidental release	e measures
Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with contaminated tools and objects.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for cont	ainment and cleaning up

Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with alkali. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	prage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is toxic. This product is corrosive. Immediate first aid is imperative. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Store in corrosive resistant container with a resistant inner liner. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Toxic storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
SECTION 8: Exposure contro	Is and personal protection
Control parameters Occupational exposure limits	

hydrochloric acid ...%

Ceiling value: 5 ppm 7.5 mg/m³

hydrofluoric acid ... %

Ceiling value: 3 ppm 2.6 mg/m³ as F

phosphoric acid ...%

Long-term exposure limit (8-hour TWA): 1 mg/m³ Short-term exposure limit (15-minute): 3 mg/m³

C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

Ingredient comments

No exposure limits known for ingredient(s).

Exposure controls

Protective equipment



controls

Appropriate engineering







Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: >0.2mm The selected gloves should have a breakthrough time of at least 0.5 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.

Other skin and bodyAppropriate footwear and additional protective clothing complying with an approved standardprotectionshould be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Red.	
Odour	Acidic.	
Odour threshold	Not available.	
рН	pH (concentrated solution): ~ 1	
Melting point	~ 0°C	
Initial boiling point and range	~ 100°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability Limit - Lower(%)	Not applicable.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	~ 1.055 @ (20°C)°C	
Solubility(ies)	Soluble in water. Miscible with water.	
Partition coefficient	Not available.	
Auto-ignition temperature	Not available.	
Decomposition Temperature	Not available.	
Viscosity	~ 1 cSt @ 20°C	
Oxidising properties	Not applicable.	

Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.	
Volatile organic compound	This product contains a maximum VOC content of 0 g/litre.	
SECTION 10: Stability and rea	nctivity	
Reactivity	May be corrosive to metals.	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
Materials to avoid	Alkalis. Amines. Mild steel. Stainless steel. Aluminium. May be corrosive to metals.	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapours.	
SECTION 11: Toxicological int	formation	
Information on toxicological eff	fects	
<u>Acute toxicity - oral</u> Notes (oral LD₅)	Acute Tox. 3 - H301 Toxic if swallowed.	
ATE oral (mg/kg)	189.66	
Acute toxicity - dermal Notes (dermal LD₅₀)	Acute Tox. 2 - H310 Fatal in contact with skin.	
ATE dermal (mg/kg)	191.1	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.	
ATE inhalation (vapours mg/l)	19.11	
ATE inhalation (dusts/mists mg/l)	1.91	
Skin corrosion/irritation		
Animal data	Skin Corr. 1B - H314 Causes severe burns.	
Extreme pH	≤ 2 Corrosive.	
Serious eye damage/irritation Serious eye damage/irritation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	

Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation.	
Target organs	Respiratory system, lungs	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
	-	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.	
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.	
Skin Contact	A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target Organs	Respiratory system, lungs Bone structure Central nervous system Eyes Skin	
Toxicological information on in	gredients.	
	hydrochloric acid%	

hydrochloric acid ...%

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,449.0	
Species	Mouse	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	5,010.0	
Species	Rabbit	
Skin sensitisation		


	Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
	Carcinogenicity	
	IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
		hydrofluoric acid %
	Toxicological effects	This product is toxic.
	Other health effects	There is no evidence that the product can cause cancer.
	Acute toxicity - inhalation	
	ATE inhalation (vapours mg/l)	0.5
	ATE inhalation (dusts/mists mg/l)	0.05
	Acute and chronic health hazards	This chemical can be hazardous when inhaled and/or touched. Toxic in contact with skin.
	Route of exposure	Inhalation Skin absorption Ingestion.
	Target Organs	Bone structure Heart & cardiovascular system Teeth Central nervous system
	Medical Symptoms	Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.
		phosphoric acid%
	Other health effects	There is no evidence that the product can cause cancer.
	Skin sensitisation	
	Skin sensitisation	Not sensitising.
		C9-C11 Alcohol ethoxylate (6)
	Other health effects	There is no evidence that the product can cause cancer.
SECTION 1	2: Ecological information	
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquation organisms.	
Ecological in	nformation on ingredients.	
		hydrochloric acid%
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
		hydrofluoric acid %
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
		phosphoric acid%

11/16

	Ecotoxicity	The product may contribute to an excessive enrichment of the aquatic environment with nutrients. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
Toxicity	Based o	on available data the classification criteria are not met.
Ecological information on ingredients.		
		hydrochloric acid%
	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, 96 hours: ~ 7.45 mg/l, Oncorhynchus mykiss (Rainbow trout) LC50, 96 hours: ~ 24.6 mg/l, Lepomis macrochirus (Bluegill) LC₅₀, 96 hours: 4-100 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: ~ 0.492 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: ~ 0.78 mg/l, Selenastrum capricornutum
		hydrofluoric acid %
	Acute aquatic toxicity	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: ~ 10.6 mg/l, Daphnia magna
		phosphoric acid%
	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, : 100 mg/l, Freshwater fish
	Acute toxicity - aquatic invertebrates	EC₅o, : 29 mg/l, Daphnia magna NOEC, 72 hours: 100 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 72 hours: 590 mg/l, Freshwater algae
		C9-C11 Alcohol ethoxylate (6)
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 10 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 10 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 72 hours: 10 mg/l, Algae
Persistence	and degradability	
Ecological i	nformation on ingredients.	
		hydrochloric acid%
	Persistence and degradability	The product contains inorganic substances which are not biodegradable.
		hydrofluoric acid %

Persistence and degradability	The product contains inorganic substances which are not biodegradable.
	phosphoric acid%
Persistence and degradability	The product contains mainly inorganic substances which are not biodegradable. The other substances in the product are expected to be readily biodegradable.
	C9-C11 Alcohol ethoxylate (6)
Persistence and degradability	The product is biodegradable.
Bioaccumulative potential	
Bioaccumulative Potential No data	available on bioaccumulation.
Partition coefficient Not ava	ilable.
Ecological information on ingredients.	
	hydrochloric acid%
Bioaccumulative Potential	The product is not bioaccumulating.
	hydrofluoric acid %
Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
	phosphoric acid%
Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
	C9-C11 Alcohol ethoxylate (6)
Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
Mobility in soil	
Mobility The pro	duct is water-soluble and may spread in water systems. The product is non-volatile.
Ecological information on ingredients.	
	hydrochloric acid%
Mobility	The product is soluble in water.
	hydrofluoric acid %
Mobility	The product is soluble in water.
	phosphoric acid%
Mobility	The product is soluble in water.
	C9-C11 Alcohol ethoxylate (6)
Mobility	The product is soluble in water.
Other adverse effects	

Other adverse effects	None known.	
SECTION 13: Disposal considerations		
Waste treatment methods		
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14: Transport inform	nation	
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
UN number		
UN No. (ADG)	2922	
UN No. (IMDG)	2922	
UN No. (ICAO)	2922	
UN proper shipping name		
Proper shipping name (ADG)	CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS hydrochloric acid, Hydrofluoric acid)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS hydrochloric acid, Hydrofluoric acid)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS hydrochloric acid, Hydrofluoric acid)	
Transport hazard class(es)		
ADG class	8	
ADG subsidiary risk	6.1	
ADG classification code	CT1	
ADG label	8	
IMDG class	8	
IMDG subsidiary risk	6.1	
ICAO class/division	8	
ICAO subsidiary risk	6.1	
Transport labels		



Packing group

ADG packing group	Ш
IMDG packing group	II
ICAO packing group	П

Environmental hazards

Environmentally hazardous substance/marine pollutant No.

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-B
Hazchem Code	2X

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
	National Code of Practice for the Preparation of Material Safety Data Sheets.
	Approved Criteria for Classifying Hazardous Substances.
	Exposure Standards for Atmospheric Contaminants in the Occupational Environment.
	Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants ir
	the Occupational Environment.
	National Code of Practice for the Labelling of Workplace Substances.
	National Model Regulations for the Control of Workplace Hazardous Substances.
	National Code of Practice for the Control of Workplace Hazardous Substances.
	National Standard for the Storage and Handling of Workplace Dangerous Goods.
	National Code of Practice for the Storage and Handling of Workplace Dangerous Goods.
	Guidance Note for Placarding Stores for Dangerous Goods and Specified Hazardous
	Substances. Guidance Note for the Assessment of Health Risks Arising from Hazardous
	Substances in the Workplace.
	National Standard for the Control of Major Hazard Facilities. National Code of Practice for the
	Control of Major Hazard Facilities.
Schedule (SUSMP)	Schedule 7. Dangerous Poison.

Inventories

Australia - AIIC All the ingredients are listed or exempt.

SECTION 16: Any other relevant information

Abbreviations and acronyms used in the safety data sheet	ADG: Australian dangerous goods code
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Met. Corr. = Corrosive to metals Acute Tox. = Acute toxicity Eye Dam. = Serious eye damage Skin Corr. = Skin corrosion STOT SE = Specific target organ toxicity-single exposure
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	30/05/2022
Revision	1
SDS No.	22170
SDS status	Approved.
Hazard statements in full	 H290 May be corrosive to metals. H300 Fatal if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H330 Fatal if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.