

SAFETY DATA SHEET

Concentrated Fleet Shampoo

According to the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practise, 2021.

SECTION 1: Identification: Pro	duct identifier and chemical identity	
Product identifier		
Product name	Concentrated Fleet Shampoo	
Product No.	182-11	
Relevant identified uses of the	substance or mixture and uses advised against	
Application	Auto shampoo.	
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.	
Details of the supplier of the sa	afety data sheet	
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au	
Contact Person	Mr. Russell Butler	
Manufacturer	Autosmart International Ltd Lynn Lane Shenstone, nr Lichfield Staffordshire WS14 0DH Great Britain www.autosmartinternational.com Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00) info@autosmartinternational.com	
Emergency telephone number		
Emergency telephone	Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK) General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)	
National emergency telephone number	Poison Information Hotline: 13 11 26	
SECTION 2: Hazard(s) identification		
Classification of the substance or mixture		
Physical hazards	Not Classified	

Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified
Environmental	The product is not expected to be hazardous to the environment.
Physicochemical	Not considered to be a significant hazard due to the small quantities used.
Label elements	
Hazard pictograms	
Signal word	DANGER
Hazard statements	H318 Causes serious eye damage.
Precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician.
Contains	Alcohols, C12-C14, ethoxylated, sulfates, sodium salts, COCONUT DIETHANOLAMIDE

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

Alcohols, C12-C14, ethoxylated, sulfates, sodium salts

CAS number: 68891-38-3

Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318

COCONUT DIETHANOLAMIDE

CAS number: 68155-07-7

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 1.5<1.75%

2<3%

0.1<0.2%

Concentrated Fleet Shampoo

2,2'-iminodiethanol

CAS number: 111-42-2

Substance with a Community workplace exposure limit.

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 2 - H373 Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measur	res	
General information	Treat symptomatically.	
Inhalation	Get medical attention if any discomfort continues.	
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.	
Skin Contact	Remove contaminated clothing. Rinse with water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.	
Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	Prolonged contact may cause redness and/or tearing.	
Indication of any immediate m	nedical attention and special treatment needed	
Notes for the doctor	No specific recommendations. Treat symptomatically.	
SECTION 5: Firefighting measurements	sures	
Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
Special hazards arising from t	he substance or mixture	
Specific hazards	Oxides of the following substances: Carbon. Nitrogen. No specific firefighting precautions applicable when small quantities are involved in the fire.	
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	

Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known. Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8.	
Environmental precautions		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.	
Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Wash thoroughly after dealing with a spillage. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer.	
Reference to other sections		
Reference to other sections	Collect and dispose of spillage as indicated in Section 13.	
SECTION 7: Handling and storage, including how the chemical may be safely used		
Precautions for safe handling		
Usage precautions	Read and follow manufacturer's recommendations. Avoid spilling. Avoid contact with skin and eyes.	
Conditions for safe storage, in	cluding any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.	
Storage class	Chemical storage.	
Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
SECTION 8: Exposure control	Is and personal protection	
Control parameters Occupational exposure limits 2,2'-iminodiethanol		
Long-term exposure limit (8-hour TWA): 3 ppm 13 mg/m³		
Alcohols, C12-C14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)		
Ingredient comm	ents No exposure limits known for ingredient(s).	
	COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)	
Ingredient comm	ents No exposure limits known for ingredient(s).	
Exposure controls		

Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Provide eyewash station.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Viscous liquid. Liquid.	
Colour	Blue.	
Odour	Pleasant, agreeable.	
Odour threshold	Not available.	
рН	pH (concentrated solution): 7.0 pH (diluted solution): ~ 7.0 @ 1%	
Melting point	~ 0°C	
Initial boiling point and range	~ 100°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability Limit - Lower(%)	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	~ 1.026 @ (20°C)°C	
Solubility(ies)	Miscible with water. Soluble in water.	
Partition coefficient	: < 0	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not available.	
Viscosity	~ 700 cP @ (20°C)°C	

Oxidising properties	Does not meet the criteria for classification as oxidising.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

Volatile organic compound This product contains a maximum VOC content of 0 g/litre.

SECTION 10: Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Not applicable. Will not polymerise.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong acids. Strong alkalis.
Hazardous decomposition products	Heating may generate the following products: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

Information on toxicological	effects
Skin corrosion/irritation	
Human skin model test	Scientifically unjustified.
Extreme pH	Moderate pH (> 2 and < 11.5). Classification based on Conventional Method, and In Vitro
	Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Not irritating.
General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin Contact	May cause defatting of the skin but is not an irritant.
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.
Acute and chronic health hazards	Because of the product's quantity and composition, the health hazard is regarded as low. No specific long-term effects known.
Route of exposure	Ingestion
Medical Symptoms	No specific symptoms known.
SECTION 12: Ecological info	ormation
Ecotoxicity	No negative effects on the aquatic environment are known. The product does not contain

Ecotoxicity	No negative effects on the aquatic environment are known. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days. The product does not contain organically bound halogen.
Acute aquatic toxicity	
Acute toxicity - fish	Not determined.
	LC₅₀, 96 hours: >100 mg/l, Fish

Acute toxicity - aquatic invertebrates	Not determined. EC₅₀, 48 hours: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	Not determined.
Acute toxicity - microorganisms	Not determined.
Acute toxicity - terrestrial	Not determined.
Persistence and degradability	
Chemical oxygen demand	Not determined.
Bioaccumulative potential	
Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	: < 0
Mobility in soil	
Mobility	The product is soluble in water.
Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
Waste treatment methods	
General information	The packaging must be empty (drop-free when inverted).
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG).
UN number	
Not applicable.	
UN proper shipping name	
Not applicable.	
Transport hazard class(es)	
No transport warning sign requ	uired.
Packing group	
Not applicable.	
Environmental hazards	
Environmentally hazardous su No.	ibstance/marine pollutant
Special precautions for user	
Not applicable.	

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
-	National Code of Practice for the Preparation of Material Safety Data Sheets.
	Approved Criteria for Classifying Hazardous Substances.
	Exposure Standards for Atmospheric Contaminants in the Occupational Environment.
	Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in
	the Occupational Environment.
	National Code of Practice for the Labelling of Workplace Substances.
	National Model Regulations for the Control of Workplace Hazardous Substances.
	National Code of Practice for the Control of Workplace Hazardous Substances.
	National Standard for the Storage and Handling of Workplace Dangerous Goods.
	National Code of Practice for the Storage and Handling of Workplace Dangerous Goods.
	Guidance Note for Placarding Stores for Dangerous Goods and Specified Hazardous
	Substances. Guidance Note for the Assessment of Health Risks Arising from Hazardous Substances in the Workplace.
	National Standard for the Control of Major Hazard Facilities. National Code of Practice for the Control of Major Hazard Facilities.
Schedule (SUSMP)	No Poison Schedule number allocated

Inventories

EU - EINECS/ELINCS

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information	
General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	7/03/2022
Revision	9
Supersedes date	21/10/2019
SDS status	Approved.
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.