

SAFETY DATA SHEET

Ali King Yellow

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

SECTION 1: Identification: Pro	duct identifier and chemical identity
Product identifier	
Product name	Ali King Yellow
Relevant identified uses of the	substance or mixture and uses advised against
Application	Car maintenance product Aluminium cleaner
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.
Details of the supplier of the sa	afety data sheet
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au
Contact Person	Mr. Russell Butler
Emergency telephone number	
Emergency telephone	Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK) General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)
National emergency telephone number	Poison Information Hotline: 13 11 26
SECTION 2: Hazard(s) identifi	cation
Classification of the substance	or mixture
Physical hazards	Met. Corr. 1 - H290
Health hazards	Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified
Label elements Pictogram	

Signal word

Hazard statements	H290 May be corrosive to metals. H301 Toxic if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled.
Precautionary statements	 P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P308+P313 IF exposed or concerned: Get medical advice/ attention. P320 Specific treatment is urgent (see medical advice on this label). P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label information	For professional users only.
Contains	HYDROCHLORIC ACID%, PHOSPHORIC ACID%, HYDROFLUORIC ACID%, C9- C11 Alcohol ethoxylate (6)

5<10%

5<10%

3<5%

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

Mixtures

HYDROCHLORIC ACID ...%

CAS number: 7647-01-0

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

PHOSPHORIC ACID ...%

CAS number: 7664-38-2

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318

HYDROFLUORIC ACID ...%

CAS number: 7664-39-3

Classification

Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

C9-C11 Alcohol ethoxylate	(6) 1<2%
CAS number: 68439-46-3	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	
The full text for all hazard st	atements is displayed in Section 16.
SECTION 4: First aid measu	Jres
Description of first aid meas	ures
General information	CAUTION! First aid personnel must be aware of own risk during rescue! First aid personnel should wear appropriate protective equipment during any rescue. Get medical attention immediately. Effects may be delayed. Keep affected person under observation. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Give milk instead of water if readily available. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical attention immediately.
Skin Contact	It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Care should be taken to avoid contact with contaminants when removing contaminated clothing. First aid personnel should wear appropriate protective equipment during any rescue. Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Apply Calcium Gluconate Gel over the affected areas. Get medical attention immediately. Effects may be delayed. Chemical burns must be treated by a physician. Show this Safety Data Sheet to the medical personnel. Wash contaminated clothing before reuse.
Eye contact	Get medical attention immediately. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Consult a physician for specific advice. Effects may be delayed. Medical aid should instil several drops of sterile calcium gluconate solution. Show this Safety Data Sheet to the medical personnel.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms a	nd effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. Effects may be delayed. Keep affected person under observation. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation	A single exposure may cause the following adverse effects: Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Delayed, often serious, breathing problems. Severe irritation of nose and throat.
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. Ingestion of even small quantities may be fatal.
Skin contact	A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death. Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Vapour or spray may cause eye damage, impaired sight or blindness.
Indication of any immediate m	edical attention and special treatment needed
Notes for the doctor	Specific notes for fluoride derivatives: Keep affected person under observation. If calcium gluconate gel is available, rub it into affected skin. Do not use this method for treatment of eyes. Massage continuously until pain disappears. If ingested, give milk or calcium gluconate by mouth. Development of symptoms may be delayed for 24 to 48 hours.
SECTION 5: Firefighting meas	sures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the substance or mixture	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic. Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours. Hydrogen fluoride (HF).

Protective actions during firefighting
 Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
 Special protective equipment for firefighters

for firefighters self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

Hazchem Code 2X

Advice for firefighters

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with contaminated tools and objects.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
Methods and material for con	tainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Do not touch or

walk into spilled material. Clear up spills immediately and dispose of waste safely. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: Neutralise with alkali. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with alkali. Neutralise spilled material with crushed limestone, slaked lime (calcium hydroxide), soda ash (sodium carbonate) or sodium bicarbonate. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is toxic. This product is corrosive. Immediate first aid is imperative. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Antidote must be found in place of work.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in accordance with local regulations. Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Store at temperatures between 5°C and 35°C. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Corrosive storage. Toxic storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	ols and personal protection

Control parameters

Occupational exposure limits

HYDROCHLORIC ACID ...%

Ceiling value: 5 ppm 7.5 mg/m³

PHOSPHORIC ACID ...%

Long-term exposure limit (8-hour TWA): 1 mg/m³ Short-term exposure limit (15-minute): 3 mg/m³

HYDROFLUORIC ACID ...%

Ceiling value: 3 ppm 2.6 mg/m³ as F

C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

Ingredient comments

No exposure limits known for ingredient(s).


Exposure controls

Protective equipment



Appropriate engineering controls





Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Neoprene. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Yellow.	
Odour	Acidic.	
Odour threshold	Not available.	
рН	pH (concentrated solution): ~ 1.0	
Melting point	~ 0°C	
Initial boiling point and range	~ 100°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability Limit - Lower(%)	Not applicable.	
Vapour pressure	Not available.	
Relative density	~ 1.047 @ 20°C	

Solubility Value (g/100g H2O 20°C)	Soluble in water. Miscible with water.
Partition coefficient	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	~1 cSt @ 20°C
Oxidising properties	Not applicable.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
Volatile organic compound	This product contains a maximum VOC content of 0 g/litre.
SECTION 10: Stability and rea	ictivity
Reactivity	There are no known reactivity hazards associated with this product. Reacts with alkalis and generates heat.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	Alkalis. Amines.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapours.
SECTION 11: Toxicological inf	formation
Information on toxicological eff	rects
<u>Acute toxicity - oral</u> Notes (oral LD₅o)	Acute Tox. 3 - H301 Toxic if swallowed.
	149.19
ATE oral (mg/kg)	149.19
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Acute Tox. 2 - H310 Fatal in contact with skin.
ATE dermal (mg/kg)	150.06
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.
ATE inhalation (vapours mg/l)	15.01
ATE inhalation (dusts/mists mg/l)	1.5
Skin corrosion/irritation	
Animal data	Skin Corr. 1B - H314 Causes severe burns.
Extreme pH	≤ 2 Corrosive.

Serious eye damage/irritation	
Serious eye damage/irritation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity -	Based on available data the classification criteria are not met.
development	
Specific target organ toxicity -	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
<u> </u>	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
	Not classified as a specific target organ toxicant after repeated exposure.
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure. Based on available data the classification criteria are not met.
STOT - repeated exposure Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
STOT - repeated exposure Aspiration hazard	
STOT - repeated exposure Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
STOT - repeated exposure Aspiration hazard Aspiration hazard General information	Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the
STOT - repeated exposure Aspiration hazard Aspiration hazard General information	Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the
STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation	Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following
STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion	 Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly
STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion Skin Contact	 Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death. Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Contact with concentrated chemical may very
STOT - repeated exposure Aspiration hazard Aspiration hazard General information Inhalation Ingestion Skin Contact Eye contact	 Based on available data the classification criteria are not met. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death. Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

Toxicological information on ingredients.

HYDROCHLORIC ACID ...%

Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,449.0

Species	Mouse
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	5,010.0
Species	Rabbit
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
Carcinogenicity	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	PHOSPHORIC ACID%
Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Acute toxicity oral (LD ₅₀ mg/kg)	3,500.0
Species	Rat
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	1,689.0
Skin sensitisation	
Skin sensitisation	Not sensitising.
	HYDROFLUORIC ACID%
Toxicological effects	This product is toxic.
Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	0.5
ATE inhalation (dusts/mists mg/l)	0.05
Acute and chronic health hazards	This chemical can be hazardous when inhaled and/or touched. Toxic in contact with skin.
Route of entry	Inhalation Skin absorption Ingestion.
Target Organs	Bone structure Heart & cardiovascular system Teeth Central nervous system
Medical Symptoms	Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.
	C9-C11 Alcohol ethoxylate (6)
Other health effects	There is no evidence that the product can cause cancer.

SECTION 12: Ecological Information		
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.	
Ecological in	nformation on ingredients.	
		HYDROCHLORIC ACID%
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
		PHOSPHORIC ACID%
	Ecotoxicity	The product may contribute to an excessive enrichment of the aquatic environment with nutrients. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
		HYDROFLUORIC ACID%
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
Toxicity	Based o	on available data the classification criteria are not met.
Ecological in	nformation on ingredients.	
		HYDROCHLORIC ACID%
	Acute toxicity - fish	LC50, 96 hours: ~ 7.45 mg/l, Onchorhynchus mykiss (Rainbow trout) LC50, 96 hours: ~ 24.6 mg/l, Lepomis macrochirus (Bluegill) LC₅₀, 96 hours: 4-100 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: ~ 0.492 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: ~ 0.78 mg/l, Selenastrum capricornutum
		PHOSPHORIC ACID%
	Acute toxicity - fish	LC50, :100 mg/l, Freshwater fish
	Acute toxicity - aquatic invertebrates	EC₅o, ∶29 mg/l, Daphnia magna NOEC, 72 hours: 100 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 72 hours: 590 mg/l, Freshwater algae
		HYDROFLUORIC ACID%
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: ~ 10.6 mg/l, Daphnia magna
		C9-C11 Alcohol ethoxylate (6)
	Acute toxicity - fish	LC₅₀, 96 hours: 10 mg/l, Fish

Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC₅₀, 72 hours: 10 mg/l, Algae
Persistence and degradability	
Persistence and degradability The de	gradability of the product is not known.
Ecological information on ingredients.	
	HYDROCHLORIC ACID%
Persistence and degradability	The product contains inorganic substances which are not biodegradable.
	PHOSPHORIC ACID%
Persistence and degradability	The product contains mainly inorganic substances which are not biodegradable. The other substances in the product are expected to be readily biodegradable.
	HYDROFLUORIC ACID%
Persistence and degradability	The product contains inorganic substances which are not biodegradable.
	C9-C11 Alcohol ethoxylate (6)
Persistence and degradability	The product is biodegradable. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
Bioaccumulative potential	
Bioaccumulative Potential No data	a available on bioaccumulation.
Partition coefficient Not ava	ailable.
Ecological information on ingredients.	
	HYDROCHLORIC ACID%
Bioaccumulative Potentia	The product is not bioaccumulating.
	PHOSPHORIC ACID%
Bioaccumulative Potentia	The product does not contain any substances expected to be bioaccumulating.
	HYDROFLUORIC ACID%
Bioaccumulative Potentia	The product does not contain any substances expected to be bioaccumulating.
	C9-C11 Alcohol ethoxylate (6)
Bioaccumulative Potentia	I The product does not contain any substances expected to be bioaccumulating.
Mobility in soil	
Mobility The pro-	oduct is water-soluble and may spread in water systems. The product is non-volatile.

Ecological information on ingredients.

			HYDROCHLORIC ACID%
	Mobility		The product is soluble in water.
			PHOSPHORIC ACID%
	Mobility		The product is soluble in water.
			HYDROFLUORIC ACID%
	Mobility		The product is soluble in water.
			C9-C11 Alcohol ethoxylate (6)
	Mobility		The product is soluble in water.
Results of P	BT and vPvB asse	ssment	
Ecological in	formation on ingre	dients.	
			HYDROCHLORIC ACID%
	Results of PBT ar assessment	nd vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
			PHOSPHORIC ACID%
	Results of PBT ar assessment	nd vPvB	This product does not contain any substances classified as PBT or vPvB.
			HYDROFLUORIC ACID%
	Results of PBT ar assessment	nd vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
			C9-C11 Alcohol ethoxylate (6)
	Results of PBT ar assessment	nd vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
Other advers	se effects		
Other advers	se effects	None kno	own.
SECTION 1	3: Disposal conside	erations	
Waste treatr	ment methods		
General info	rmation	products way. Disp comply w any local handling	eration of waste should be minimised or avoided wherever possible. Reuse or recycle wherever possible. This material and its container must be disposed of in a safe posal of this product, process solutions, residues and by-products should at all times with the requirements of environmental protection and waste disposal legislation and I authority requirements. When handling waste, the safety precautions applying to of the product should be considered. Care should be taken when handling emptied rs that have not been thoroughly cleaned or rinsed out. Empty containers or liners

may retain some product residues and hence be potentially hazardous.

Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport inform	nation
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.
UN number	
UN No. (ADG)	1790
UN No. (IMDG)	1790
UN No. (ICAO)	1790
UN proper shipping name	
Proper shipping name (ADG)	HYDROFLUORIC ACID
Proper shipping name (IMDG)	HYDROFLUORIC ACID
Proper shipping name (ICAO)	HYDROFLUORIC ACID
Transport hazard class(es)	
ADG class	8
ADG subsidiary risk	6.1
ADG classification code	CT1
ADG label	8 & 6.1
IMDG class	8
IMDG subsidiary risk	6.1
ICAO class/division	8
ICAO subsidiary risk	6.1
Transport labels	

ADG packing group	П
IMDG packing group	П
ICAO packing group	П

Environmental hazards

Environmentally hazardous substance/marine pollutant No.

Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

IMDG Code segregation group	1. Acids
EmS	F-A, S-B
Hazchem Code	2X
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory information	

Safety, health and environmental regulations/legislation specific for the substance or mixture

Schedule (SUSMP)	Schedule 7. Dangerous Poison.
------------------	-------------------------------

Inventories

Australia - AICS

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information	
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	25/07/2016
Revision	1
SDS No.	10813
SDS status	Approved.
Hazard statements in full	 H290 May be corrosive to metals. H300 Fatal if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H330 Fatal if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.