

SAFETY DATA SHEET

Citrus 101

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

SECTION 1: Identification: Pro	oduct identifier and chemical identity		
Product identifier			
Product name	Citrus 101		
Relevant identified uses of the	substance or mixture and uses advised against		
Application	Cleaning agent.		
Uses advised against	For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.		
Details of the supplier of the sa	afety data sheet		
Supplier	Autosmart Australia 11 Darrambal Close Rathmines NSW 2283 Australia www.autosmartaustralia.com.au Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information) autosmart@autosmartaustralia.com.au		
Contact Person	Mr. Russell Butler		
Emergency telephone number			
Emergency telephone	Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK) General Information. Transport Information. Mild medical Information:- Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)		
National emergency telephone number	Poison Information Hotline: 13 11 26		
SECTION 2: Hazard(s) identification			
Classification of the substance	e or mixture		
Physical hazards	Not Classified		
Health hazards	Skin Corr. 1C - H314 Eye Dam. 1 - H318		
Environmental hazards	Not Classified		

Label elements

Pictogram



Signal word

Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Tetrapotassium Pyrophosphate, C9-C11 Alcohol ethoxylate (6), QUARTERNARY COCO ALKYLAMINE ETHOXYLATE, SODIUM HYDROXIDE, C9-11 Alcohol 12EO

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

Mixtures

Tetrapotassium Pyrophosphate

CAS number: 7320-34-5

Classification

Eye Irrit. 2A - H319

C9-C11 Alcohol ethoxylate (6)

CAS number: 68439-46-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

QUARTERNARY COCO ALKYLAMINE ETHOXYLATE

CAS number: 68989-03-7

Classification

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

SODIUM HYDROXIDE

CAS number: 1310-73-2

Substance with a Community workplace exposure limit.

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318 1<2%

3<5%

2<3%

1<2%

C9-11 Alcohol 12EO	1<2%
CAS number: 68439-46-3	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Eye Dam. 1 - H318	
The full text for all hazard sta	atements is displayed in Section 16.
SECTION 4: First aid measu	ires
Description of first aid meas	ures
General information	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
Most important symptoms a	nd effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause irritation.
Skin contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Indication of any immediate	medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Special hazards arising from t	he substance or mixture	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.	
Hazchem Code	2R	

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

waterways, soil or air).

Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers,

Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store in accordance with local regulations. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak- tight, jointless and not absorbent.
Storage class	Acid-reactive storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	is and personal protection
Control parameters	
Occupational exposure limits	

SODIUM HYDROXIDE

Ceiling value: 2 mg/m³

	Tetrapotassium Pyrophosphate (CAS: 7320-34-5)	
Ingredient comm	nents No exposure limits known for ingredient(s).	
	C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)	
Ingredient comm	No exposure limits known for ingredient(s).	
	QUARTERNARY COCO ALKYLAMINE ETHOXYLATE (CAS: 68989-03-7)	
Ingredient comm	No exposure limits known for ingredient(s).	
	C9-11 Alcohol 12EO (CAS: 68439-46-3)	
Ingredient comm	No exposure limits known for ingredient(s).	
Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.	
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.	
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.	

Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Yellow.	
Odour	Citrus.	
рН	pH (concentrated solution): ~13.6 pH (diluted solution): ~10 @ 1%	
Melting point	~0°C	
Initial boiling point and range	~100°C @ 760 mm Hg	
Flash point	Not applicable.	
Evaporation rate	Not available.	
Flammability Limit - Lower(%)	Not applicable.	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	~ 1.05 @ 20°C	
Solubility Value (g/100g H2O 20°C)	Soluble in water. Miscible with water.	
Partition coefficient	Not available.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not available.	
Oxidising properties	Not applicable.	
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.	
Volatile organic compound	This product contains a maximum VOC content of 0 g/l.	
SECTION 10: Stability and reactivity		

Reactivity

There are no known reactivity hazards associated with this product.

Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.			
Possibility of hazardous reactions	No potentially hazardous reactions known.			
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.			
Materials to avoid	Acid anhydrides. Acids. Phenols, cresols.			
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.			
SECTION 11: Toxicological in	formation			
Information on toxicological ef	fects			
Acute toxicity - oral				
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.			
ATE oral (mg/kg)	13,535.46			
Acute toxicity - dermal				
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.			
ATE dermal (mg/kg)	96,153.85			
Acute toxicity - inhalation				
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.			
ATE inhalation (dusts/mists mg/l)	131.12			
Skin corrosion/irritation				
Animal data	Irritating.			
Extreme pH	≥ 11.5 Corrosive.			
Serious eye damage/irritation				
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.			
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.			
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.			
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.			
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.			
IARC carcinogenicity	None of the ingredients are listed or exempt.			
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.			
Reproductive toxicity - development	Based on available data the classification criteria are not met.			

Specific target organ toxicity	- single expos	sure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.		
Specific target organ toxicity	- repeated ex	posure	
STOT - repeated exposure Not class		fied as a specific target organ toxicant after repeated exposure.	
Aspiration hazard			
Aspiration hazard	Based on a	available data the classification criteria are not met.	
General information	The severi length of e	ity of the symptoms described will vary dependent on the concentration and the exposure.	
Inhalation	Prolonged	inhalation of high concentrations may damage respiratory system.	
Ingestion	May cause	use irritation.	
Skin Contact	Redness.	Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following Pain. Profuse watering of the eyes. Redness.		
Route of entry	Ingestion I	Inhalation Skin and/or eye contact	
Target Organs	No specific	c target organs known.	
Toxicological information on	ngredients.		
		Tetrapotassium Pyrophosphate	
Other health eff	ects 7	There is no evidence that the product can cause cancer.	
		C9-C11 Alcohol ethoxylate (6)	
Other health eff	ects 7	There is no evidence that the product can cause cancer.	
		SODIUM HYDROXIDE	
Other health eff	ects 7	There is no evidence that the product can cause cancer.	
Acute toxicity - oral			
Acute toxicity of mg/kg)	al (LD₅o 2	2,000.0	
Species	F	Rat	
Specific target of	organ toxicity	- single exposure	
STOT - single e	xposure N	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity		- repeated exposure	
STOT - repeated exposure Not classified as a specific target organ toxicant		Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration haza	rd		
Aspiration haza	rd M	Not anticipated to present an aspiration hazard, based on chemical structure.	
Route of entry	c	Skin absorption Ingestion Skin and/or eye contact	
-			
Target Organs	1	No specific target organs known.	

C9-11 Alcohol 12EO

	Acute toxicity - inhalation	
	ATE inhalation (dusts/mists mg/l)	1.5
SECTION 1	2: Ecological Information	
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.	
Ecological in	nformation on ingredients.	
		SODIUM HYDROXIDE
	Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
Toxicity	Based o	n available data the classification criteria are not met.
Ecological i	nformation on ingredients.	
		C9-C11 Alcohol ethoxylate (6)
	Acute toxicity - fish	LC₅₀, 96 hours: 10 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 10 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 72 hours: 10 mg/l, Algae
		QUARTERNARY COCO ALKYLAMINE ETHOXYLATE
	Acute toxicity - fish	LC₅₀, 96 hours: 28 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 100 mg/l, Daphnia magna
		SODIUM HYDROXIDE
	Acute toxicity - fish	LC50, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC₅₀, 96 hours: 125 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna EC₅₀, 48 hours: 40-240 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	Not known.
		C9-11 Alcohol 12EO
	Acute toxicity - fish	LC₅₀, 96 hours: >1 mg/l, Fish
Persistence	and degradability	
Persistence	and degradability The deg	radability of the product is not known.
Ecological in	nformation on ingredients.	

Tetrapotassium Pyrophosphate

	Persistence and degradability	The product is biodegradable.			
	C9-C11 Alcohol ethoxylate (6)				
	Persistence and degradability	The product is biodegradable. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.			
		SODIUM HYDROXIDE			
	Persistence and degradability	The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.			
	Stability (hydrolysis)	Not applicable.			
	Biological oxygen demand	~ 0 g O₂/g substance			
		C9-11 Alcohol 12EO			
	Persistence and degradability	The product is biodegradable.			
Bioaccumu	lative potential				
		available on bioaccumulation.			
Partition co		lable.			
Ecological	information on ingredients.				
		Tetrapotassium Pyrophosphate			
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.			
		C9-C11 Alcohol ethoxylate (6)			
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.			
		SODIUM HYDROXIDE			
	Bioaccumulative Potential	The product is not bioaccumulating.			
C9-11 Alcohol 12EO					
	Bioaccumulative Potential	The product does not contain any substances expected to be bioaccumulating.			
Mobility in a	soil				
Mobility	The proc	duct is water-soluble and may spread in water systems. The product is non-volatile.			
Ecological information on ingredients.					
Tetrapotassium Pyrophosphate					
	Mobility	The product is soluble in water.			

C9-C11 Alcohol ethoxylate (6)

	Mobility		The product is soluble in water.
			SODIUM HYDROXIDE
	Mobility		The product is soluble in water.
	Henry's law constant	nt	The product contains mainly inorganic substances which are not biodegradable.
			C9-11 Alcohol 12EO
	Mobility		The product is soluble in water.
Results of P	BT and vPvB assess	sment	
Ecological ir	nformation on ingred	ients.	
			Tetrapotassium Pyrophosphate
	Results of PBT and assessment	l vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
			C9-C11 Alcohol ethoxylate (6)
	Results of PBT and assessment	l vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
			SODIUM HYDROXIDE
	Results of PBT and assessment	l vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
Other adver	se effects		
Other adver	se effects	None kno	own.
Ecological in	nformation on ingred	ients.	
			Tetrapotassium Pyrophosphate
Other adverse effects		cts	The product may contribute to an excessive enrichment of the aquatic environment with nutrients.
SECTION 1	3: Disposal consider	ations	
Waste treatr	ment methods		
General info	F V C F C	products way. Disp comply w any local nandling container	eration of waste should be minimised or avoided wherever possible. Reuse or recycle wherever possible. This material and its container must be disposed of in a safe posal of this product, process solutions, residues and by-products should at all times with the requirements of environmental protection and waste disposal legislation and authority requirements. When handling waste, the safety precautions applying to of the product should be considered. Care should be taken when handling emptied as that have not been thoroughly cleaned or rinsed out. Empty containers or liners in some product residues and hence be potentially hazardous.
contract cleaning		contracto	of surplus products and those that cannot be recycled via a licensed waste disposal r. Waste, residues, empty containers, discarded work clothes and contaminated materials should be collected in designated containers, labelled with their contents. on or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

UN number

UN number				
UN No. (ADG)	1719			
UN No. (IMDG)	1719			
UN No. (ICAO)	1719			
UN proper shipping name				
Proper shipping name (ADG)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS, SODIUM HYDROXIDE)			
Proper shipping name (IMDG)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS, SODIUM HYDROXIDE)			
Proper shipping name (ICAO)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS, SODIUM HYDROXIDE)			
Transport hazard class(es)				
ADG class	8			
ADG classification code	C5			
ADG label	8			
IMDG class	8			
ICAO class/division	8			
Transport labels				
B				
Packing group				
ADG packing group	III			
IMDG packing group	III			
ICAO packing group	III			
Environmental hazards				
Environmentally hazardous sul No.	bstance/marine pollutant			
Special precautions for user				
EmS	F-A, S-B			
Hazchem Code	2R			
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.			
SECTION 15: Regulatory information				

Safety, health and environmental regulations/legislation specific for the substance or mixture

Schedule (SUSMP)

Schedule 5. Caution.

Inventories Australia - AICS All the ingredients are listed or exempt.

SECTION 16: Any other relevant information

General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	9/09/2016
Revision	1
SDS No.	21252
SDS status	Approved.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.