

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 26/04/2024 Version: 1.0

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture

Trade name (Aerosol) Odour Eliminator With Silver Biocide

Product code 003498000032

1.2. Other means of identification

: AOEL003D Synonyms

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Air freshener

Restrictions on use : For professional use only

1.4. Details of manufacturer or importer

Autosmart Australia

11 Darrambal Close

Rathmines NSW 2283 NSW

Australia

T 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

autosmart@autosmartaustralia.com.au - www.autosmartaustralia.com.au

1.5. Emergency phone number

: NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), **Emergency number**

Call NCEC at 18000 74234 (toll free 24Hrs) - when calling please quote "AUTOSMART

29003-NCEC"

Local number +61 2 8 014 4558

General Information. Transport Information. Mild medical Information:-

02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Aerosol, Category 1 H222;H229 Gases under pressure: Compressed gas H280 Serious eye damage/eye irritation, Category 2A H319 Specific target organ toxicity - Single exposure, Category 3, Narcosis H336

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU)







Flame

Gas cylinder

Exclamation mark

Signal word (GHS AU)

: Danger : Propan-2-ol (18.59 %) Contains

Hazard statements (GHS AU) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H280 - Contains gas under pressure; may explode if heated

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing vapours, spray.

P264 - Wash contaminated skin thoroughly after handling.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTER, a doctor if you feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice, medical attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122

°F.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

| Name | CAS-No. | % | Classification according to the model Work Health and Safety Regulations (WHS Regulations) |
|---|------------|-------------|--|
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) | 68476-85-7 | 80 | Flam. Gas 1A, H220 Press. Gas (Comp.), H280 Flam. Liq. 1, H224 |
| Propan-2-ol | 67-63-0 | 18.59 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 |
| Diethyl phthalate | 84-66-2 | 0.7 – 1.4 | Not classified |
| Other substances (not contributing to the classification of this product) | - | 98.6 – 99.3 | - |

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

26/04/2024 (Issue date) AU - en 2/9

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Mechanically recover the product.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

26/04/2024 (Issue date) AU - en 3/9

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures

exceeding 50 °C/ 122 °F. Store locked up. Keep container tightly closed.

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

| Propan-2-ol (67-63-0) | | |
|---|--|--|
| Australia - Occupational Exposure Limits | | |
| Local name | Isopropyl alcohol (Propan-2-ol) | |
| OES TWA | 983 mg/m³ | |
| | 400 ppm | |
| OES STEL | 1230 mg/m³ | |
| | 500 ppm | |
| Regulatory reference | Workplace exposure standards for airborne contaminants (2022) | |
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | | |
| Australia - Occupational Exposure Limits | | |
| Local name | LPG (liquified petroleum gas) | |
| OES TWA | 1800 mg/m³ | |
| | 1000 ppm | |
| Remark (AU) | Carcinogenicity Category 1B - Presumed to have a carcinogenic potential for humans. The classification of a substance into this category is based largely on animal evidence where there is sufficient evidence to demonstrate carcinogenicity in animals or where there is limited evidence of carcinogenicity in humans and animals. | |
| Regulatory reference | Workplace exposure standards for airborne contaminants (2022) | |
| Diethyl phthalate (84-66-2) | | |
| Australia - Occupational Exposure Limits | | |
| Local name | Diethyl phthalate | |
| OES TWA | 5 mg/m³ | |
| Regulatory reference | Workplace exposure standards for airborne contaminants (2022) | |

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.

Materials for protective clothing : The following Australian and New Zealand Standards will provide general advice regarding

safety clothing and equipment: Industrial Clothing: AS2919.

Hand protection : Protective gloves. The following Australian and New Zealand Standards will provide general

advice regarding safety clothing and equipment: Protective Gloves: AS 2161.

Eye protection : Safety glasses. The following Australian and New Zealand Standards will provide general

advice regarding safety clothing and equipment: Industrial Eye Protection: AS1336 and

AS/NZS 1337.

Skin and body protection : Wear suitable protective clothing

26/04/2024 (Issue date) AU - en 4/9

Safety Data Sheet

Respiratory protection

according to the Work Health and Safety (WHS) Regulations

: In case of insufficient ventilation, wear suitable respiratory equipment. The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715.

Personal protective equipment symbol(s)







Environmental exposure controls

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Liquid
Appearance : Aerosol.
Colour : Colourless
Odour : Fresh

Odour threshold : No data available pH : No data available pH solution : No data available Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point: Not applicable

Boiling point : No data available

Flash point : < -40 °C

Auto-ignition temperature : No data available Flammability : No data available Vapour pressure : No data available Relative density : No data available Density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available

Explosive properties : Pressurised container: May burst if heated.

Explosive limits : No data available Minimum ignition energy : No data available

VOC content : 569 g/l

Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : Extremely flammable aerosol. Pressurised container: May burst if heated.

Chemical stability : No additional information available Possibility of hazardous reactions : No additional information available

Conditions to avoid : Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of

ignition.

Incompatible materials : No additional information available Hazardous decomposition products : No additional information available

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Propan-2-ol (67-63-0)

LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

26/04/2024 (Issue date) AU - en 5/9

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

Propan-2-ol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7)

LOAEC (inhalation, rat, gas, 90 days) 12000 ppm Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose

Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline:

other:

Aspiration hazard : Not classified

(Aerosol) Odour Eliminator With Silver Biocide

Vaporizer Aerosol

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

acute)

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | |
|---|-------------------------|
| LC50 - Fish [1] | 0.362 mg/l |
| EC50 - Crustacea [1] | 0.018 mg/l |
| ErC50 algae | 7.6 mg/l Source: ECOTOX |
| Partition coefficient n-octanol/water (Log Pow) | ≤ 2.8 Source: IUCLID |

12.2. Persistence and degradability

| (Aerosol) Odour Eliminator With Silver Biocide | | |
|---|------------------------|--|
| Persistence and degradability | Not rapidly degradable | |
| Propan-2-ol (67-63-0) | | |
| Persistence and degradability | Not rapidly degradable | |
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | | |
| Persistence and degradability | Not rapidly degradable | |
| Diethyl phthalate (84-66-2) | | |
| Persistence and degradability | Not rapidly degradable | |

12.3. Bioaccumulative potential

| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | |
|---|----------------------|
| Partition coefficient n-octanol/water (Log Pow) | ≤ 2.8 Source: IUCLID |

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.4. Mobility in soil

| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | |
|---|----------------------|
| Partition coefficient n-octanol/water (Log Pow) | ≤ 2.8 Source: IUCLID |

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

| Cirior davorse errecto | The deditional information available | |
|---|--------------------------------------|--|
| (Aerosol) Odour Eliminator With Silver Biocide | | |
| Fluorinated greenhouse gases | False | |
| Propan-2-ol (67-63-0) | | |
| Fluorinated greenhouse gases | False | |
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | | |
| Fluorinated greenhouse gases | False | |
| Diethyl phthalate (84-66-2) | | |
| Fluorinated greenhouse gases | False | |

SECTION 13: Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

| ADG | IMDG | IATA |
|-----------------------------------|---|-----------------------------------|
| 14.1. UN number | | |
| 1950 | 1950 | 1950 |
| 14.2. UN Proper Shipping Name | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable |
| Transport document description | | |
| Not applicable | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 |
| 14.3. Transport hazard class(es) | | |
| 2.1 | 2.1 | 2.1 |
| 2 | 2 | 2 |
| 14.4. Packing group | | |
| Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No |

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

14.6. Special precautions for user

Specific storage requirement : No data available Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 1950

Special provision (ADG) : 63, 190, 277, 327, 344, 381

Limited quantities (ADG) : 11

Excepted quantities (ADG) : E0

Packing instructions (ADG) : P207, LP200

Special packing provisions (ADG) : PP87, L2

Transport by sea

UN-No. (IMDG) : 1950

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP200

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG): NoneStowage and handling (IMDG): SW1, SW22Segregation (IMDG): SG69

Air transport

: 1950 UN-No. (IATA) PCA Excepted quantities (IATA) : F0 : Y203 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 : 75kg PCA max net quantity (IATA) : 203 CAO packing instructions (IATA) 150kg CAO max net quantity (IATA)

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

| Classification | |
|--------------------|-----------|
| Aerosol 1 | H222;H229 |
| Press. Gas (Comp.) | H280 |

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

| Classification | |
|----------------|------|
| Eye Irrit. 2A | H319 |
| STOT SE 3 | H336 |

| Full text of H-statements | | |
|---------------------------|--|--|
| Aerosol 1 | Aerosol, Category 1 | |
| Eye Irrit. 2A | Serious eye damage/eye irritation, Category 2A | |
| Flam. Gas 1A | Flammable gases, Category 1A | |
| Flam. Liq. 1 | Flammable liquids, Category 1 | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis | |
| H220 | Extremely flammable gas | |
| H224 | Extremely flammable liquid and vapour | |
| H225 | Highly flammable liquid and vapour | |
| H280 | Contains gas under pressure; may explode if heated | |
| H319 | Causes serious eye irritation | |
| H336 | May cause drowsiness or dizziness | |

Safety Data Sheet (SDS), Australia

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.