

#### SAFETY DATA SHEET

# **Brisk Low Foam**

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. **Product identifier** 

> Trade name: Brisk Low Foam Product no.: **MBBBRTU**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or

Cleaning product

mixture: Restricted to professional users.

Uses advised against: For professional use only. This product is not recommended for any

industrial, professional or consumer use other than the identified

uses above

1.3. Details of the supplier of the safety data sheet

> Company and address: **Autosmart Australia**

> > 11 Darrambal Close NSW 2283 Rathmines

Australia

Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

autosmart@autosmartaustralia.com.au

Russell Butler Contact person:

E-mail: SHREQ@autosmart.co.uk

SDS date: 23/5/2025 SDS Version: 1.0

1.4. **Emergency telephone number** 

In an Emergency call 000

NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 1800 074 234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003-NCEC"

Local number +61 (0)2 8 014 4558

General Information. Transport Information. Mild medical Information:-Autosmart Australia, Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

National Emergency Telephone Number:

In less severe situations call the Poisons Information Centre / Poison Information Hotline: 13 11 26 (Available 24/7 from anywhere is Australia)


### **SECTION 2: HAZARDS IDENTIFICATION**

This material is considered hazardous according to the Work Health and Safety Regulations.

#### 2.1. Classification of the substance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction. Eye Irrit. 2; H319, Causes serious eye irritation.

#### **Label elements** 2.2.





Hazard pictogram(s):

<u>(!)</u>

Signal word: Warning

Hazard statement(s): May cause an allergic skin reaction. (H317)

Causes serious eye irritation. (H319)

Precautionary statement(s):

General: -

Prevention: Wash hands thoroughly after handling. (P264)

Wear protective gloves/eye protection. (P280)

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313) If skin irritation or rash occurs: Get medical advice/attention.

(P333+P313)

Take off contaminated clothing and wash it before reuse.

(P362+P364)

Storage:
Disposal:

Hazardous substances: 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol;1,3,5-tris(2-

hydroxyethyl)hexahydro-1,3,5-triazine

Additional labelling: Not applicable.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Product/substance:                                                                                          | Identifiers:                             | % w/w: | Classification:                                                                                                                                      | Note: |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Tetrapotassium pyrophosphate                                                                                | CAS No.: 7320-34-5<br>EC No.: 230-785-7  | 3-5%   | Eye Irrit. 2, H319                                                                                                                                   |       |
| ethanol;ethyl alcohol                                                                                       | CAS No.: 64-17-5<br>EC No.: 200-578-6    | 1-3%   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319                                                                                                             |       |
| Alcohols, C9-11, ethoxylated                                                                                | CAS No.: 68439-46-3<br>EC No.: 614-482-0 | 1-3%   | Acute Tox. 4, H302<br>Eye Dam. 1, H318                                                                                                               | [19]  |
| 2-butoxyethanol; ethylene<br>glycol monobutyl ether                                                         | CAS No.: 111-76-2<br>EC No.: 203-905-0   | 1-3%   | Flam. Liq. 4, H227<br>Acute Tox. 4, H302 (ATE: 1200.00<br>mg/kg)<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 4, H332                  |       |
| 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol;1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine | CAS No.: 4719-04-4<br>EC No.: 225-208-0  | <1%    | Acute Tox. 4, H302<br>Skin Sens. 1, H317 (SCL: 0.10 %)<br>Eye Irrit. 2, H319<br>Acute Tox. 2, H330 (ATE: 0.371 mg/L)<br>STOT RE 1, H372 (Inhalation) |       |
| Citronellol                                                                                                 | CAS No.: 106-22-9<br>EC No.: 203-375-0   | <0.05% | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Eye Irrit. 2, H319                                                                                     |       |



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty department –

bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring

the person into fresh air and stay with him/her.

Skin contact: IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: If in eyes: Flush eyes immediately with plenty of water or isotonic

water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue

flushing during transport.

*Ingestion:* If the person is conscious, rinse the mouth with water and stay with

the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited

material.

Burns: Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

### Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)



Some metal oxides

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure call the NSW Poisons Information Centre on 13 11 26 (Available 24/7) in order to obtain further advice.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Keep only in original packaging.

Storage conditions: Dry, cool and well ventilated

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

ethanol; ethyl alcohol

Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m³): 1880

2-butoxyethanol; ethylene glycol monobutyl ether

Long term exposure limit (8 hours) (ppm): 20

Long term exposure limit (8 hours) (mg/m³): 96.9

Short term exposure limit (15 minutes) (ppm): 50

Short term exposure limit (15 minutes) (mg/m³): 242

Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

Workplace exposure standards for airborne contaminants (Safe Work Australia). (January 2024)

### 8.2. Exposure controls



Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the

work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum

concentrations for occupational exposure. See occupational hygiene

limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and below

current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly

marked.

Apply standard precautions during use of the product. Avoid

inhalation of vapours.

Hygiene measures: In between use of the product and at the end of the working day all

exposed areas of the body must be washed thoroughly. Pay special

attention to hands, forearms and face.

Measures to avoid environmental exposure: No specific requirements.

### Individual protection measures, such as personal protective equipment

Generally: Use only protective equipment that carries the RCM symbol.

Respiratory Equipment:

| Туре:                                                                      | Class: | Colour: | Standards: | : |
|----------------------------------------------------------------------------|--------|---------|------------|---|
| Respiratory protection is not needed in the event of adequate ventilation. |        |         |            |   |

#### Skin protection:

| Recommended:                            | Type/Category: | Standards: | : |
|-----------------------------------------|----------------|------------|---|
| Dedicated work clothing should be worn. | -              | -          |   |

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

### Hand protection:

| Material: | Glove thickness (mm): | Breakthrough time<br>(min.): | Standards:                   | : |
|-----------|-----------------------|------------------------------|------------------------------|---|
| Nitrile   | 0,2                   | > 30                         | EN374-2, EN16523-1,<br>EN388 |   |

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: > 0.2 mm The selected gloves should have a breakthrough time of at least 2 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there

is an allergy risk to natural rubber.

Eye protection:

| Туре:                             | Standards:     | : |
|-----------------------------------|----------------|---|
| Safety glasses with side shields. | EN ISO 16321-1 |   |

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Form: Liquid

Colour: Clear, Colourless
Odour: Fruity, Pleasant
Odour threshold (ppm): No data available.
pH: No data available.

Density (g/cm³):

Kinematic viscosity: No data available.

Particle characteristics: Does not apply to liquids.

**Phase changes** 

*Melting point/Freezing point (°C):* No data available.

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C):

Vapour pressure:

Relative vapour density:

Decomposition temperature (°C):

No data available.

No data available.

No data available.

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C):

No data available.

No data available.

No data available.

No data available.

Explosion limits (% v/v):

No data available.

Solubility

Solubility in water:

n-octanol/water coefficient (LogKow):

No data available.

Solubility in fat (g/L):

No data available.

9.2. Other information

*VOC (g/L):* 31

Other physical and chemical parameters: No data available.

Oxidizing properties: No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity



No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

### **Acute toxicity**

Product/substance Tetrapotassium pyrophosphate

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 2001 mg/kg

Product/substance Tetrapotassium pyrophosphate

Test method: OECD 403
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: 2001 mg/kg

Product/substance Tetrapotassium pyrophosphate

Test method:

Species:

Rat

Route of exposure:

Inhalation

LC50

Result:

LC50

Product/substance Citronellol Species: Rat Route of exposure: Oral Test: LD50

Result: = 3450 mg/kg

Product/substance Citronellol
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: = 2650 mg/kg

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Causes serious eye irritation.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

May cause an allergic skin reaction.



### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

2-butoxyethanol; ethylene glycol monobutyl ether has been classified by IARC as a group 3 carcinogen.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

Product/substance Tetrapotassium pyrophosphate Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC50
Result: 101 mg/L

Product/substance Tetrapotassium pyrophosphate

Test method: OECD 203
Species: Fish
Duration: 96 hours
Test: LC50
Result: 101 mg/L

Product/substance Tetrapotassium pyrophosphate Species: Crustacean, Daphnia magna

Duration: 48 hours
Test: EC50
Result: 101 mg/L

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Other adverse effects

None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product is not covered by regulations on dangerous waste.

### Specific labelling

### **Contaminated packing**

#### **SECTION 14: TRANSPORT INFORMATION**

| :    |   | 14.2<br>UN proper shipping name: | 14.3<br>Hazard class(es): |   | Env**: | Other informatio n:: |
|------|---|----------------------------------|---------------------------|---|--------|----------------------|
| ADG  | - | -                                | -                         | - | -      | -                    |
| IMDG | - | -                                | -                         | - | -      | -                    |
| IATA | - | -                                | -                         | - | -      | -                    |

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education: No specific requirements.

Control of major hazard facilities: Not applicable.

Additional information: Not applicable.

The Australian Inventory of Industrial

Chemicals (AIIC):

Tetrapotassium pyrophosphate is listed

ethanol;ethyl alcohol is listed

Alcohols, C9-11, ethoxylated is listed

2-butoxyethanol; ethylene glycol monobutyl ether is listed 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol;1,3,5-tris(2-

hydroxyethyl)hexahydro-1,3,5-triazine is listed

Citronellol is listed

SUSMP: No Poison Schedule Allocated

Sources: Model Work Health and Safety Regulations as at 1 January 2021.

### 15.2. Chemical safety assessment

No

### **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H227, Combustible liquid

H302, Harmful if swallowed.


H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

<sup>\*\*</sup> Environmental hazards





H330. Fatal if inhaled.

H332. Harmful if inhaled.

H372, Causes damage to organs through prolonged or repeated exposure. (Inhalation)

#### The full text of identified uses as mentioned in section 1

None known.

#### **Abbreviations and acronyms**

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail

AICIS = Australian Industrial Chemicals Introduction Scheme

AIIC = Australian Inventory of Industrial Chemicals

AS = Australian Standard

AS/NZS = Australian New Zealand Standard

ATE = Acute Toxicity Estimate

AUH = Hazard statements specific for Australia

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

EINECS = European Inventory of Existing Commercial chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Hazchem = Hazardous chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. (""Marpol"" = marine pollution)

NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RCM = Regulatory Mark of Conformity

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

WHS = Work Health and Safety Regulations

### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by the Work Health and Safety Regulations.

### The safety data sheet is validated by

Adrian

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: AU-en