

#### SAFETY DATA SHEET

## Recharge +

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Recharge + Product no.: MBRCP01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or

mixture:

Restricted to professional users.

Uses advised against: For professional use only. This product is not recommended for any

Cleaning product

industrial, professional or consumer use other than the identified

uses above

1.3. Details of the supplier of the safety data sheet

Company and address: Autosmart Australia

11 Darrambal Close NSW 2283 Rathmines

Australia

Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

autosmart@autosmartaustralia.com.au

Contact person: Russell Butler

E-mail: SHREQ@autosmart.co.uk

 SDS date:
 12/3/2025

 SDS Version:
 1.0

1.4. Emergency telephone number

In an Emergency call 000

NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 1800 074 234 (toll free 24Hrs) - when calling please guote "AUTOSMART 29003-NCEC"

Local number +61 (0)2 8 014 4558

General Information. Transport Information. Mild medical Information:-Autosmart Australia, Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

National Emergency Telephone Number:

In less severe situations call the Poisons Information Centre / Poison Information Hotline: 13 11 26 (Available 24/7 from anywhere is Australia)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Not classified according to the Work Health and Safety Regulations.

2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.



Precautionary statement(s):

General: Prevention: Response: Storage: Disposal: -

Hazardous substances: None known.

Additional labelling: Not applicable.

#### 2.3. Other hazards

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance:	Identifiers:	% w/w:	Classification:	Note:
methanol	CAS No.: 67-56-1	<0.25%	Flam. Liq. 2, H225	
	EC No.: 200-659-6		Acute Tox. 3, H301	
			Acute Tox. 3, H311	
			Acute Tox. 3, H331	
			STOT SE 1, H370	
			STOT SE 2, H371 (SCL: 3.00 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

#### **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty department –

bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

*Inhalation:* In case of discomfort: bring the person into fresh air.

Skin contact: Upon irritation: rinse with water. In the event of continued irritation,

seek medical assistance.

Eye contact: Rinse gently with lukewarm water. Remove any contact lenses if this

is easy to do. Continue rinsing. In case of persistent eye irritation or

discomfort: Seek medical help.

Ingestion: Rinse and flush mouth thoroughly and consume large quantities of

water. In case of continued discomfort: seek medical assistance and

bring this safety data sheet.

Burns: Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.



## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

## 5.3. Advice for firefighters

No specific requirements.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material: Keep only in original packaging.

Storage conditions: 5 - 30°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

ethanol;ethyl alcohol

Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m³): 1880



methanol

Long term exposure limit (8 hours) (ppm): 200 Long term exposure limit (8 hours) (mg/m³): 262 Short term exposure limit (15 minutes) (ppm): 250 Short term exposure limit (15 minutes) (mg/m³): 328 Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

Workplace exposure standards for airborne contaminants (Safe Work Australia).

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the

work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum

concentrations for occupational exposure. See occupational hygiene

limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and below

current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly

marked.

Apply standard precautions during use of the product. Avoid

inhalation of vapours.

Hygiene measures: Wash hands after use.

Measures to avoid environmental exposure: No specific requirements.

## Individual protection measures, such as personal protective equipment

Generally: Use only protective equipment that carries the RCM symbol.

Respiratory Equipment:

nespiratory Equipment					
Туре:	Class:	Colour:	Standards:	:	
No special when used as intended.					

Skin protection:

Recommended:	Type/Category:	Standards:	:
No special when used as intended.	-	-	

Hand protection:

Material:	Glove thickness (mm):	Breakthrough time (min.):	Standards:	:
Nitrile	0,2	> 30	EN374-2, EN374-3, EN388	

Eye protection:

y c procedurin					
Type:	Standards:	:			
Safety glasses with side shields.	EN ISO 16321-1				

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Form: Liquid
Colour: White
Odour: Mild

Odour threshold (ppm): No data available.

pH: 5.3
 pH in solution: 6 (1%)
 Density (g/cm³): 1

Relative density: 1 (20 °C)

Kinematic viscosity: No data available.

Particle characteristics: Does not apply to liquids.

**Phase changes** 

*Melting point/Freezing point (°C):* 0

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C):

Vapour pressure:

Relative vapour density:

Decomposition temperature (°C):

No data available.

No data available.

No data available.

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C):

No data available.

No data available.

No data available.

Explosion limits (% v/v):

No data available.

Solubility

Solubility in water: Soluble

*n-octanol/water coefficient (LogKow):* No data available. Solubility in fat (q/L): No data available.

9.2. Other information

*VOC (g/L):* 14

Other physical and chemical parameters: No data available.

Oxidizing properties: No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.



## 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

## **Acute toxicity**

Product/substance methanol
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 5001 mg/kg

Product/substance methanol
Species: Rat
Route of exposure: Dermal
Test: LD50
Result: 15800 mg/kg

Product/substance methanol Species: Rat Route of exposure: Inhalation Test: LC50 Result: 3 mg/L

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

## **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Long term effects

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

Product/substance methanol

Species: Fish, Lepomis macrochirus



 Duration:
 96 hours

 Test:
 LC50

 Result:
 15400 mg/L

Product/substance methanol

Species: Daphnia, Daphnia magna

 Duration:
 48 hours

 Test:
 LC50

 Result:
 10,001 mg/L

Product/substance methanol Test method: OECD 201

Species: Algae, Pseudokirchneriella subcapitata

Duration: 96 hours Result: 22,000 mg/L

Product/substance methanol
Test method: OECD 209
Species: Bacteria

Compartment: Activated Sludge Plant

Duration: 3 hours
Test: IC50
Result: 1,001 mg/L

Product/substance methanol

Species: Fish, Oryzias latipes

Test: NOEC Result: 15,800 mg/L

## 12.2. Persistence and degradability

Product/substance methanol

Conclusion: Readily biodegradable

## 12.3. Bioaccumulative potential

Product/substance methanol BCF: 9.9
LogKow: -0.77
Conclusion: -

## 12.4. Mobility in soil

methanol

LogKoc = 0.44, High mobility potential.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. Other adverse effects

None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Product is not covered by regulations on dangerous waste.

## **Specific labelling**

**Contaminated packing** 

## **SECTION 14: TRANSPORT INFORMATION**



:		14.2 UN proper shipping name:			Env**:	Other informatio n::
ADG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education: No specific requirements.

Control of major hazard facilities: Not applicable.

Additional information: Not applicable.

The Australian Inventory of Industrial ethanol;ethyl alcohol is listed

Chemicals (AIIC): methanol is listed

SUSMP: No Poison Schedule Allocated

Sources: Model Work Health and Safety Regulations as at 1 January 2021.

## 15.2. Chemical safety assessment

No

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H301, Toxic if swallowed.

H311, Toxic in contact with skin.

H331, Toxic if inhaled.

H370, Causes damage to organs.

H371, May cause damage to organs.

## The full text of identified uses as mentioned in section 1

None known.

## Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail

AICIS = Australian Industrial Chemicals Introduction Scheme

AIIC = Australian Inventory of Industrial Chemicals

AS = Australian Standard

AS/NZS = Australian New Zealand Standard

ATE = Acute Toxicity Estimate

AUH = Hazard statements specific for Australia

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

EINECS = European Inventory of Existing Commercial chemical Substances

<sup>\*\*</sup> Environmental hazards



GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Hazchem = Hazardous chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. (""Marpol"" = marine pollution)

NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RCM = Regulatory Mark of Conformity

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

WHS = Work Health and Safety Regulations

#### **Additional information**

ethanol;ethyl alcohol

Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m³): 1880

#### methanol

Long term exposure limit (8 hours) (ppm): 200

Long term exposure limit (8 hours) (mg/m³): 262

Short term exposure limit (15 minutes) (ppm): 250

Short term exposure limit (15 minutes) (mg/m³): 328

Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

Not applicable.

## The safety data sheet is validated by

Adrian

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: AU-en