

SAFETY DATA SHEET

Leak Detector

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Leak Detector

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or Industrial purposes

mixture: Restricted to professional users.

Uses advised against: For professional use only. This product is not recommended for any

industrial, professional or consumer use other than the identified

uses above

1.3. Details of the supplier of the safety data sheet

Company and address: Autosmart Australia

11 Darrambal Close NSW 2283 Rathmines

Australia

Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

autosmart@autosmartaustralia.com.au

Contact person: Russell Butler

E-mail: SHREQ@autosmart.co.uk

SDS date: 21/3/2025 *SDS Version:* 1.0

1.4. Emergency telephone number

In an Emergency call 000

NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at 1800 074 234 (toll free 24Hrs) - when calling please quote "AUTOSMART 29003-NCEC" Local number +61 (0)2 8 014 4558

General Information. Transport Information. Mild medical Information:-Autosmart Australia, Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

National Emergency Telephone Number:

In less severe situations call the Poisons Information Centre / Poison Information Hotline: 13 11 26 (Available 24/7 from anywhere is Australia)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified according to the Work Health and Safety Regulations.

2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.

Precautionary statement(s):



General:

Prevention: Wear protective gloves. (P280)

IF IN EYES: Rinse cautiously with water for several minutes. Remove Response:

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Storage:

Disposal: Dispose of contents/container in accordance with national

> regulation (P501)

None known.

Hazardous substances: Additional labelling: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. **Substances**

Not applicable. This product is a mixture.

3.2. **Mixtures**

Product/substance:	Identifiers:	% w/w:	Classification:	Note:
Sulfuric acid, mono-C12-14-	CAS No.: 85586-07-8	1-3%	Acute Tox. 4, H302 (ATE: 1800.00	
alkyl esters, sodium salts	EC No.: 287-809-4		mg/kg)	
			Skin Irrit. 2, H315	
			Eye Dam. 1, H318 (SCL: 20.00 %)	
			Eye Irrit. 2, H319 (SCL: 10.00 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: FIRST AID MEASURES

4.1. **Description of first aid measures**

General information: In the case of accident: Contact a doctor or casualty department -

bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

Inhalation: In case of discomfort: bring the person into fresh air.

Upon irritation: rinse with water. In the event of continued irritation, Skin contact:

seek medical assistance.

Eye contact: Rinse gently with lukewarm water. Remove any contact lenses if this

is easy to do. Continue rinsing. In case of persistent eye irritation or

discomfort: Seek medical help.

Rinse and flush mouth thoroughly and consume large quantities of Ingestion:

water. In case of continued discomfort: seek medical assistance and

bring this safety data sheet.

Not applicable. Burns:

Most important symptoms and effects, both acute and delayed 4.2.

None known.



4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material: Keep only in original packaging.

Storage conditions: 5 - 30°C

Incompatible materials: No specific requirements

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are included in the list of workplace exposure standards for airborne contaminants as published by Safe Work Australia.

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed in the



work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the

substances in this product.

Appropriate technical measures: Apply standard precautions during use of the product. Avoid

inhalation of vapours.

Hygiene measures: Wash hands after use.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only protective equipment that carries the RCM symbol.

Respiratory Equipment:

espiratory Equipment					
Type:	Class:	Colour:	Standards:	:	
No special when used as intended.					

Skin protection:

Recommended:	Type/Category:	Standards:	:
Dedicated work clothing should be worn.	-	-	

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hand protection:

Material:	Glove thickness (mm):	Breakthrough time (min.):	Standards:	:
Nitrile	0,2	> 30	EN374-2, EN374-3, EN388	

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. When used with mixtures, the protection time of gloves cannot be accurately estimated. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Thickness: > 0.2 mm The selected gloves should have a breakthrough time of at least 2 hours. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Use thin cotton gloves inside natural rubber gloves if there is an allergy risk to natural rubber.

Eye protection:

Туре:	Standards:	:
No special when used as intended.	-	

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form: Liquid Colour: Yellow

Odour: Fruity, Of perfume
Odour threshold (ppm): No data available.

pH: 7.0 *Density (g/cm³)*: 1.01

Kinematic viscosity: No data available.

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C): 0

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C):

Vapour pressure:No data available.Relative vapour density:No data available.Decomposition temperature (°C):No data available.

Data on fire and explosion hazards

Flash point (°C): Not applicable - based on structure

Flammability (°C):

Auto-ignition temperature (°C):

Explosion limits (% v/v):

No data available.

No data available.

Solubility

Solubility in water:Completely solublen-octanol/water coefficient (LogKow):No data available.Solubility in fat (g/L):No data available.

9.2. Other information

Sensitivity to shock: No VOC (g/L): 0

Other physical and chemical parameters: No data available.

Oxidizing properties: No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremes of temperature

10.5. Incompatible materials

No specific requirements



10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 1,800 mg/kg

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Rat

Route of exposure: Dermal
Test: LD50
Result: 2001 mg/kg

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Rat
Route of exposure: Oral
Test: NOAEL
Result: 488 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Fish, Oncorhynchus mykiss

Duration: 96 hours Test: LC50



Result: 3.6 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Daphnia, Daphnia magna

Duration: 48 hours
Test: EC50
Result: 4.7 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC50
Result: 20.1 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Fish, Pimephales promelas

Test: NOEC Result: 1357 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC50
Result: 5.4 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Algae, Desmodesmus subspicatus

Duration: 72 hours
Test: EC10
Result: 5.4 mg/L

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Species: Crustacean, Ceriodaphnia dubia

Duration: 7 days
Test: NOEC
Result: 0.508 mg/L

12.2. Persistence and degradability

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Result: 75.7 %

Conclusion: Readily biodegradable

Test: OECD 301 B

Product/substance Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

Duration: 28 days Result: 90.1 %

Conclusion: -

Test: OECD 301 D

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS



Waste treatment methods Specific labelling Contaminated packing

SECTION 14: TRANSPORT INFORMATION

:		14.2 UN proper shipping name:	14.3 Hazard class(es):		Env**:	Other informatio n::
ADG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education: No specific requirements.

Control of major hazard facilities: Not applicable.

Additional information: Not applicable.

The Australian Inventory of Industrial

Chemicals (AIIC):

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts is listed

SUSMP: No Poison Schedule Allocated

Sources: Model Work Health and Safety Regulations as at 1 January 2021.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail

AICIS = Australian Industrial Chemicals Introduction Scheme

AIIC = Australian Inventory of Industrial Chemicals

AS = Australian Standard

^{**} Environmental hazards



AS/NZS = Australian New Zealand Standard

ATE = Acute Toxicity Estimate

AUH = Hazard statements specific for Australia

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

EINECS = European Inventory of Existing Commercial chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Hazchem = Hazardous chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. (""Marpol"" = marine pollution)

NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RCM = Regulatory Mark of Conformity

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

WHS = Work Health and Safety Regulations

Additional information

No substances are included in the list of workplace exposure standards for airborne contaminants as published by Safe Work Australia.

A safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information.

The safety data sheet is validated by

Russell Butler

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: AU-en